

SAFETY DATA SHEET

CLEENOL EVOLUTION X2 DOUBLE AGENT SURFACE CLEANER & SANITIZER - RED

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	CLEENOL EVOLUTION X2 DOUBLE AGENT SURFACE CLEANER & SANITIZER - RED	
1.2. Relevant identified uses of	f the substance or mixture and uses advised against	
1.3. Details of the supplier of the	ne safety data sheet	
Supplier	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel : +44 (0)1295 251721 Fax : +44 (0)1295 269561 sales@cleenol.co.uk	
Manufacturer	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel : +44 (0)1295 251721 Fax : +44 (0)1295 269561 sales@cleenol.co.uk	
1.4. Emergency telephone nun	nber	
Emergency telephone	Poisons Information Specialist National Poisons Information Service Birmingham B18 7QH Tel: 0121 507 5122	
SECTION 2: Hazards identifica	ation	
2.1. Classification of the substa Classification	ance or mixture	
Physical hazards	Not Classified	
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318	
Environmental hazards	Aquatic Chronic 3 - H412	
Classification (67/548/EEC or 1999/45/EC)	Xi;R38,R41.	

2.2. Label elements

Pictogram



Signal word	Danger
Hazard statements	H315 Causes skin irritation. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	 P264 Wash contaminated skin thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves. P280 Wear eye protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P332+P313 If skin irritation occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/container in accordance with national regulations.
Contains	BENZALKONIUM CHLORIDE, FATTY ALCOHOL ETHOXYLATE
Supplementary precautionary statements	P321 Specific treatment (see medical advice on this label).

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

FATTY ALCOHOL ETHOXYLATE		5-10%
CAS number: 160901-19-9		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Eye Dam. 1 - H318	Xn;R22. Xi;R41.	
Acute Tox. 4 - H302		
BENZALKONIUM CHLORIDE		1-5%
CAS number: 68424-85-1		
M factor (Acute) = 10	M factor (Chronic) = 1	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Met. Corr. 1 - H290	Xn;R21/22. C;R34. N;R50.	
Acute Tox. 4 - H312		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		

ALKYLAMINE DICARBOXYLATE				1-5%
CAS number: 3655-00-3	EC number: 290-470	6-8		
Classification Eye Irrit. 2 - H319		Classification (67/5 Xi;R36.	48/EEC or 1999/45/EC)	
POTASSIUM HYDROXIDE				<1%
CAS number: 1310-58-3	EC number: 215-18	1-3	REACH registration number: 01- 2119487136-33-XXXX	
Classification		Classification (67/5	48/EEC or 1999/45/EC)	
Skin Corr. 1A - H314		C;R35 Xn;R22		
Acute Tox. 4 - H302				
Eye Dam. 1 - H318				

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures		
4.1. Description of first aid measures		
Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.	
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.	
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.	
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.	

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

5.3. Advice for firefighters

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

utions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

SECTION 7: Handling and storage	SECTION	7: Handling	and storage
---------------------------------	---------	-------------	-------------

7.1. Precautions for safe hand	dling	
Usage precautions	Avoid spilling. Avoid contact with skin and eyes.	
7.2. Conditions for safe storage	ge, including any incompatibilities	
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.	
Storage class	Chemical storage.	
7.3. Specific end use(s)		
SECTION 8: Exposure Control	bls/personal protection	
8.1. Control parameters		
Occupational exposure limits		
POTASSIUM HYDROXIDE		
Long-term exposure limit (8-h Short-term exposure limit (15-	-minute): WEL 2 mg/m ³	
WEL = Workplace Exposure L	Limit	
Ingredient comments	WEL = Workplace Exposure Limits	
8.2. Exposure controls		
Protective equipment		
Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.	
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.	
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.	
Hygiene measures	Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.	
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.	
SECTION 9: Physical and Chemical Properties		
9.1. Information on basic phys	sical and chemical properties	
Appearance	Liquid.	
Colour	Red.	
Odour	Characteristic.	

pH pH (concentrated solution): 12.5

Initial boiling point and range 100c°C @ 760 mm Hg

	Soluble in water	
Solubility(ies)	Soluble in water.	
Viscosity	Not applicable.	
9.2. Other information		
SECTION 10: Stability and re	activity	
10.1. Reactivity		
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures.	
10.3. Possibility of hazardous	s reactions	
10.4. Conditions to avoid		
Conditions to avoid	Avoid excessive heat for prolonged periods of time.	
10.5. Incompatible materials		
10.6. Hazardous decompositi	ion products	
Hazardous decomposition	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).	
products		
SECTION 11: Toxicological in	nformation	
11.1. Information on toxicolog	jical effects	
Acute toxicity - oral		
ATE oral (mg/kg)	8,333.33333333	
Acute toxicity - dermal		
ATE dermal (mg/kg)	55,000.0	
Inhalation	Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.	
Ingestion	May cause discomfort if swallowed.	
Skin contact	Irritating to skin.	
Eye contact	Irritating to eyes.	
SECTION 12: Ecological Info	rmation	
Ecotoxicity	Not regarded as dangerous for the environment.	
12.1. Toxicity		
12.2. Persistence and degradability		
12.3. Bioaccumulative potential		
12.4. Mobility in soil		
12.5. Results of PBT and vPvB assessment		
12.6. Other adverse effects SECTION 13: Disposal considerations		
-		
13.1. Waste treatment metho		
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
SECTION 14: Transport infor	· · ·	
SECTION 14. Transport infor	IIIauvii	

Road transport notes	Not classified.	
Rail transport notes	Not classified.	
Sea transport notes	Not classified.	
14.1. UN number		
14.2. UN proper shipping name		
14.3. Transport hazard class(es)		
14.4. Packing group		
14.5. Environmental hazards		
14.6. Special precautions for user		
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		

National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
Guidance	Workplace Exposure Limits EH40. CHIP for everyone HSG228. Approved Classification and Labelling Guide (Sixth edition) L131. Safety Data Sheets for Substances and Preparations

15.2. Chemical safety assessment

SECTION 16: Other information

Revision date	29/09/2015
Revision	5
Supersedes date	28/09/2015
SDS number	DA1
Risk phrases in full	R21/22 Harmful in contact with skin and if swallowed. R22 Harmful if swallowed. R34 Causes burns. R35 Causes severe burns. R36 Irritating to eyes. R38 Irritating to skin. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.
Hazard statements in full	 H290 May be corrosive to metals. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.