



## SAFETY DATA SHEET

### CLEENOL LIFT ORIGINAL MULTIPURPOSE CLEANER

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Product name** CLEENOL LIFT ORIGINAL MULTIPURPOSE CLEANER

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Cleaning agent.

##### 1.3. Details of the supplier of the safety data sheet

**Supplier** Cleenol Group Ltd  
Neville House  
Beaumont Road  
Banbury  
Oxon OX16 1RB  
UK  
Tel : +44 (0)1295 251721  
Fax : +44 (0)1295 269561  
sales@cleenol.co.uk

**Manufacturer** Cleenol Group Ltd  
Neville House  
Beaumont Road  
Banbury  
Oxon OX16 1RB  
UK  
Tel : +44 (0)1295 251721  
Fax : +44 (0)1295 269561  
sales@cleenol.co.uk

##### 1.4. Emergency telephone number

**Emergency telephone** Emergency contact number 01295 251721 (9am to 5pm Monday to Friday excluding bank holidays). Ask for Technical Department quoting the product name. Outside of these hours please contact your doctor or local hospital accident and emergency department or the NHS enquiry service (dial 111) quoting product name and present this MSDS advising them that the product is registered with the National Poisons Information Service

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

**Physical hazards** Not Classified  
**Health hazards** Eye Dam. 1 - H318  
**Environmental hazards** Not Classified

**Classification (67/548/EEC or 1999/45/EC)** Xi;R36.

## CLEENOL LIFT ORIGINAL MULTIPURPOSE CLEANER

### 2.2. Label elements

#### Pictogram



<b>Signal word</b>	Danger
<b>Hazard statements</b>	H318 Causes serious eye damage.
<b>Precautionary statements</b>	P280 Wear protective gloves. P280 Wear eye protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P301+P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. P302+P352 IF ON SKIN: Wash with plenty of water.
<b>Contains</b>	FATTY ALCOHOL ETHOXYLATE
<b>Detergent labelling</b>	< 5% amphoteric surfactants, Contains BRONOPOL (INN)

### 2.3. Other hazards

<b>Other Hazards</b>	None
----------------------	------

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>1-METHOXY-2-PROPANOL</b>		<b>5-10%</b>
CAS number: 107-98-2	EC number: 203-539-1	REACH registration number: 01-2119457435-35-XXXX
<b>Classification</b> Flam. Liq. 3 - H226 STOT SE 3 - H336	<b>Classification (67/548/EEC or 1999/45/EC)</b> R10 R67	
<b>FATTY ALCOHOL ETHOXYLATE</b>		<b>5-10%</b>
CAS number: 160901-19-9		
<b>Classification</b> Acute Tox. 4 - H302 Eye Dam. 1 - H318	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn;R22. Xi;R41.	
<b>PROPAN-2-OL</b>		<b>1-5%</b>
CAS number: 67-63-0	EC number: 200-661-7	REACH registration number: 01-2119457558-25-0000
<b>Classification</b> Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336	<b>Classification (67/548/EEC or 1999/45/EC)</b> F;R11 Xi;R36 R67	

## CLEENOL LIFT ORIGINAL MULTIPURPOSE CLEANER

<b>BRONOPOL (INN)</b>	<b>&lt;1%</b>
CAS number: 52-51-7	EC number: 200-143-0
M factor (Acute) = 10	
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Acute Tox. 4 - H302	Xn;R21/22 Xi;R37/38,R41 N;R50
Acute Tox. 4 - H312	
Skin Irrit. 2 - H315	
Eye Dam. 1 - H318	
STOT SE 3 - H335	
Aquatic Acute 1 - H400	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Rinse nose and mouth with water. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	May cause respiratory irritation.
<b>Ingestion</b>	May cause irritation.
<b>Skin contact</b>	May cause skin irritation.
<b>Eye contact</b>	May cause eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Specific treatments</b>	Seek medical attention if irritation or symptoms persist. Symptomatic treatment
----------------------------	---

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media** The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards</b>	Burning may produce irritating, toxic and obnoxious fumes. Oxides of Carbon, Nitrogen and Sulphur.
-------------------------	---

#### 5.3. Advice for firefighters

<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
--	---

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Wear protective clothing as described in Section 8 of this safety data sheet.
-----------------------------	---

#### 6.2. Environmental precautions

## CLEENOL LIFT ORIGINAL MULTIPURPOSE CLEANER

**Environmental precautions** Avoid or minimise the creation of any environmental contamination.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

### 6.4. Reference to other sections

**Reference to other sections** See section 3,8 & 13 for further information

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.

**Storage class** Chemical storage.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

**SHELF LIFE OF DILUTION**  
12 MONTHS

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

#### **1-METHOXY-2-PROPANOL**

Long-term exposure limit (8-hour TWA): WEL 100 ppm(Sk) 375 mg/m<sup>3</sup>(Sk)

Short-term exposure limit (15-minute): WEL 150 ppm(Sk) 560 mg/m<sup>3</sup>(Sk)

#### **PROPAN-2-OL**

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

**Ingredient comments** WEL = Workplace Exposure Limits

### 8.2. Exposure controls

#### Protective equipment



#### **Eye/face protection**

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. The following protection should be worn: Chemical splash goggles or face shield.

#### **Hand protection**

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374.

## CLEENOL LIFT ORIGINAL MULTIPURPOSE CLEANER

<b>Other skin and body protection</b>	Wear appropriate clothing to prevent any possibility of skin contact.
<b>Hygiene measures</b>	Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Clear liquid.
<b>Colour</b>	Green.
<b>Odour</b>	Characteristic.
<b>pH</b>	6-8
<b>Initial boiling point and range</b>	100°C @ 760 mm Hg
<b>Relative density</b>	1.002 @ 20°C

#### 9.2. Other information

<b>Other information</b>	None.
--------------------------	-------

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

<b>Reactivity</b>	No test data specifically related to reactivity available for this product or its ingredients.
-------------------	--

#### 10.2. Chemical stability

<b>Stability</b>	Stable at normal ambient temperatures.
------------------	--

#### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	None known.
---	-------------

#### 10.4. Conditions to avoid

<b>Conditions to avoid</b>	Avoid excessive heat for prolonged periods of time.
----------------------------	---

#### 10.5. Incompatible materials

<b>Materials to avoid</b>	None known.
---------------------------	-------------

#### 10.6. Hazardous decomposition products

<b>Hazardous decomposition products</b>	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ).
---	--

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Acute toxicity - oral

<b>ATE oral (mg/kg)</b>	7,142.85714286
-------------------------	----------------

<b>Inhalation</b>	Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.
-------------------	--

<b>Ingestion</b>	May cause discomfort if swallowed.
------------------	------------------------------------

## CLEENOL LIFT ORIGINAL MULTIPURPOSE CLEANER

**Skin contact** Liquid may irritate skin.

**Eye contact** Irritating to eyes.

### SECTION 12: Ecological Information

**Ecotoxicity** Not regarded as dangerous for the environment.

#### 12.1. Toxicity

**Toxicity** The product is not believed to present a hazard due to its physical nature.

#### 12.2. Persistence and degradability

**Persistence and degradability** The product is biodegradable.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** Not known.

#### 12.4. Mobility in soil

**Mobility** The product is soluble in water.

#### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

**Other adverse effects** None known.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### SECTION 14: Transport information

**Road transport notes** Not classified.

**Rail transport notes** Not classified.

**Sea transport notes** Not classified.

**Air transport notes** Not classified.

#### 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

Not applicable.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

## CLEENOL LIFT ORIGINAL MULTIPURPOSE CLEANER

**Environmentally hazardous substance/marine pollutant**

No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

**Annex II of MARPOL 73/78  
and the IBC Code**

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>National regulations</b>	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
<b>Guidance</b>	Workplace Exposure Limits EH40. CHIP for everyone HSG228. Safety Data Sheets for Substances and Preparations Approved Classification and Labelling Guide (Sixth edition) L131.

### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

## SECTION 16: Other information

<b>Revision date</b>	28/09/2017
<b>Revision</b>	12
<b>Supersedes date</b>	11/05/2017
<b>SDS number</b>	D210
<b>Risk phrases in full</b>	R10 Flammable. R11 Highly flammable. R22 Harmful if swallowed. R36 Irritating to eyes. R41 Risk of serious damage to eyes. R67 Vapours may cause drowsiness and dizziness.
<b>Hazard statements in full</b>	H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.