

SAFETY DATA SHEET CLEENOL LIFT HONEYSUCKLE AIR FRESHENER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Product name	CLEENOL LIFT HONEYSUCKLE AIR FRESHENER	
1.2. Relevant identified uses	of the substance or mixture and uses advised against	
Identified uses	Cleaning agent.	
1.3. Details of the supplier of	the safety data sheet	
Supplier	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel : +44 (0)1295 251721 Fax : +44 (0)1295 269561 sales@cleenol.co.uk	
1.4. Emergency telephone nu	Imber	
Emergency telephone	Emergency contact number 01295 251721 (9am to 5pm Monday to Friday excluding bank holidays). Ask for Technical Department quoting the product name. Outside of these hours please contact your doctor or local hospital accident and emergency department or the NHS enquiry service (dial 111) quoting product name and present this MSDS advising them that the product is registered with the National Poisons Information Service	
SECTION 2: Hazards identified	cation	
2.1. Classification of the subs	stance or mixture	
Classification (EC 1272/2008	<u>-</u>	
Physical hazards	Not Classified	
Health hazards	Not Classified	
Environmental hazards	Not Classified	
2.2. Label elements		
Hazard statements	NC Not Classified	
Precautionary statements	P102 Keep out of reach of children. P301+P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Dispose of contents / containers as normal waste	
2.3. Other hazards		
Other Hazards	None	
SECTION 3: Composition/information on ingredients		
SECTION 3: Composition/info	ormation on ingredients	

PROPAN-2-OL			5-10%
CAS number: 67-63-0	EC number: 200-66	1-7 REACH registration numb 2119457558-25-0000	er: 01-
Classification Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336		Classification (67/548/EEC or 1999/45/EC) F;R11 Xi;R36 R67	
FATTY ALCOHOL ETHOXYL CAS number: 160901-19-9	ATE		1-5%
Classification Acute Tox. 4 - H302 Eye Dam. 1 - H318		Classification (67/548/EEC or 1999/45/EC) Xn;R22. Xi;R41.	
BENZALKONIUM CHLORIDE	E		<1%
CAS number: 68424-85-1			
M factor (Acute) = 10	M factor (Chronic) =	1	
Classification Met. Corr. 1 - H290 Acute Tox. 4 - H312 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		Classification (67/548/EEC or 1999/45/EC) Xn;R21/22. C;R34. N;R50.	
The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.			
SECTION 4: First aid measures			
4.1. Description of first aid mea	asures		
Ingestion	Rinse mouth thoroughly with w	ater. Get medical attention if any discomfort con	tinues.
Skin contact	Remove contaminated clothing	. Wash skin thoroughly with soap and water. Ge	et medical

Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15
	minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Specific treatments	Seek medical attention if irritation or symptoms persist. Symptomatic treatment	
4.3. Indication of any immediate medical attention and special treatment needed		
Eye contact	May cause eye irritation.	
Skin contact	May cause skin irritation.	
Ingestion	May cause discomfort if swallowed.	
Inhalation	May cause respiratory irritation.	

attention if any discomfort continues.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture		
Specific hazards	Burning may produce irritating, toxic and obnoxious fumes. Oxides of Carbon, Nitrogen and Sulphur.	
5.3. Advice for firefighters		
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 6: Accidental releas	e measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.	
6.2. Environmental precaution	<u>8</u>	
Environmental precautions	Avoid or minimise the creation of any environmental contamination.	
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.	
6.4. Reference to other section		
Reference to other sections	See section 3,8 & 13 for further information	
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe hand	ling	
Usage precautions	Avoid spilling. Avoid contact with skin and eyes.	
7.2. Conditions for safe storag	e, including any incompatibilities	
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SHELF LIFE OF DILUTION 12 MONTHS		
SECTION 8: Exposure Controls/personal protection		
• • •	our TWA): WEL 400 ppm 999 mg/m³ ninute): WEL 500 ppm 1250 mg/m³	
WEL = Workplace Exposure L		

8.2. Exposure controls

Protective equipment

Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374.
Other skin and body protection	Use barrier creams to prevent skin contact.
Hygiene measures	Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin.
Respiratory protection	Not relevant.
SECTION 9: Physical and Che	emical Properties
9.1. Information on basic phys	ical and chemical properties
Appearance	Liquid.
рН	6-8
Initial boiling point and range	100°C @ 760 mm Hg
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	No test data specifically related to reactivity available for this product or its ingredients.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	None known.
10.4. Conditions to avoid	
Conditions to avoid	Avoid excessive heat for prolonged periods of time.
10.5. Incompatible materials	
Materials to avoid	None known.
10.6. Hazardous decompositio	on products
Hazardous decomposition products	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).
SECTION 11: Toxicological in	formation

11.1. Information on toxicological effects

Acute toxicity - oral ATE oral (mg/kg)	19,607.84
Ingestion	May cause discomfort if swallowed.
Skin contact	Skin irritation should not occur when used as recommended.
Eye contact	Vapour or spray in the eyes may cause irritation and smarting.
SECTION 12: Ecological Infor	mation
Ecotoxicity	Not regarded as dangerous for the environment.
12.1. Toxicity	
Toxicity	The product is not believed to present a hazard due to its physical nature.
12.2. Persistence and degrade	ability
Persistence and degradability	The product is biodegradable.
12.3. Bioaccumulative potentia	al de la construcción de la constru
Bioaccumulative potential	Not known.
12.4. Mobility in soil	
Mobility	The product is soluble in water.
12.5. Results of PBT and vPv	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal consid	lerations
13.1. Waste treatment method	
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
SECTION 14: Transport inform	nation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number Not applicable.	
14.2. UN proper shipping name	
Not applicable.	
14.3. Transport hazard class(es)
No transport warning sign required.	
14.4. Packing group	
Not applicable.	
14.5. Environmental hazards	

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).	
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).	
Guidance	Workplace Exposure Limits EH40. CHIP for everyone HSG228. Approved Classification and Labelling Guide (Sixth edition) L131. Safety Data Sheets for Substances and Preparations	

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information

Revision date	17/10/2017
Revision	9
Supersedes date	29/09/2017
SDS number	28L
Risk phrases in full	Not classified. R11 Highly flammable. R21/22 Harmful in contact with skin and if swallowed. R22 Harmful if swallowed. R34 Causes burns. R36 Irritating to eyes. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms. R67 Vapours may cause drowsiness and dizziness.

Hazard statements in full	H225 Highly flommable liquid and vanour
	H225 Highly flammable liquid and vapour.
	H290 May be corrosive to metals.
	H302 Harmful if swallowed.
	H312 Harmful in contact with skin.
	H314 Causes severe skin burns and eye damage.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H336 May cause drowsiness or dizziness.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.