

## SAFETY DATA SHEET **CLEENOL LIFT BATH & WASHROOM CLEANER**

SECTION 1: Identification of	of the substance/mixture and of the company/undertaking		
1.1. Product identifier			
Product name	CLEENOL LIFT BATH & WASHROOM CLEANER		
1.2. Relevant identified use	s of the substance or mixture and uses advised against		
Identified uses	Cleaning agent.		
1.3. Details of the supplier of	1.3. Details of the supplier of the safety data sheet		
Supplier	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel : +44 (0)1295 251721 Fax : +44 (0)1295 269561 sales@cleenol.co.uk		
Manufacturer	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel : +44 (0)1295 251721 Fax : +44 (0)1295 269561 sales@cleenol.co.uk		
1.4. Emergency telephone	number		
Emergency telephone	Emergency contact number (9am to 5pm Monday to Friday excluding bank holidays): 01295 251721 ask for technical, quoting the product name. Emergency Action: In the event of a medical enquiry involving this product outside of these hours, please contact your doctor or local hospital accident and emergency department or the NHS enquiry service (dial 111) again quoting product name and where applicable present this MSDS to the medical professional.		
SECTION 2: Hazards identification			
2.1. Classification of the sul	bstance or mixture		
Classification (EC 1272/200			
Physical hazards	Not Classified		
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Elicitation (Skin Sens.)		
Environmental hazards	Aquatic Chronic 3 - H412		

Classification (67/548/EEC or Xi;R36. 1999/45/EC)

2.2. Label elements

2.2. Label elements			
Pictogram			
THE REAL			
Signal word	Danger		
Hazard statements	H315 Causes skin irritation. H318 Causes serious eye dama H412 Harmful to aquatic life with EUH208 Contains LIMONENE.	n long lasting effects	
Precautionary statements	P264 Wash contaminated skin t P273 Avoid release to the enviro P280 Wear eye protection. P280 Wear protective gloves. P302+P352 IF ON SKIN: Wash P305+P351+P338 IF IN EYES: contact lenses, if present and ea P310 Immediately call a POISO P332+P313 If skin irritation occu P501 Dispose of contents/ contact	with plenty of water Rinse cautiously wit asy to do. Continue N CENTER/ doctor. urs: Get medical adv	h water for several minutes. Remove rinsing. vice/ attention.
Contains	BENZALKONIUM CHLORIDE, F	FATTY ALCOHOL E	THOXYLATE
Supplementary precautionary statements	P321 Specific treatment (see me P362+P364 Take off contamination		-
2.3. Other hazards			
Other Hazards	None		
SECTION 3: Composition/info	mation on ingredients		
3.2. Mixtures			
FATTY ALCOHOL ETHOXYL CAS number: 68002-97-1	ATE		5-10%
<b>Classification</b> Acute Tox. 4 - H302 Eye Dam. 1 - H318		<b>Classification (67/5</b> 4 Xn;R22. Xi;R41.	18/EEC or 1999/45/EC)
CITRIC ACID			1-5%
CAS number: 77-92-9	EC number: 201-069	-1	REACH registration number: 01211945702642XXXX
<b>Classification</b> Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335		<b>Classification (67/5</b> 4 Xi;R36/37/38.	18/EEC or 1999/45/EC)

BENZALKONIUM CHLORIDE		1-5%
CAS number: 68424-85-1		
M factor (Acute) = 10	M factor (Chronic) = 1	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Met. Corr. 1 - H290	Xn;R21/22. C;R34. N;R50.	
Acute Tox. 4 - H312		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
LIMONENE		<1%
CAS number: 138-86-3	EC number: 205-341-0	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Flam. Liq. 3 - H226	R10 R43 Xi;R38 N;R50/53	
Skin Irrit. 2 - H315		
Skin Sens. 1 - H317		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures			
4.1. Description of first aid measures			
Inhalation	Rinse nose and mouth with water. Get medical attention if any discomfort continues.		
Ingestion	Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.		
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.		
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.		
4.2. Most important symp	4.2. Most important symptoms and effects, both acute and delayed		
Inhalation	May cause respiratory irritation.		
Ingestion	May cause irritation.		
Skin contact	May cause skin irritation.		
Eye contact	May cause eye irritation.		
4.3. Indication of any immediate medical attention and special treatment needed			
Specific treatments	Seek medical attention if irritation or symptoms persist. Symptomatic treatment		
SECTION 5: Firefighting measures			
5.1 Extinguishing media			

#### 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards	Burning may produce irritating, toxic and obnoxious fumes. Oxides of Carbon, Nitrogen and Sulphur.	
5.3. Advice for firefighters		
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 6: Accidental release	se measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.	
6.2. Environmental precaution	S	
Environmental precautions	Avoid or minimise the creation of any environmental contamination.	
6.3. Methods and material for	containment and cleaning up	
Methods for cleaning up	Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.	
6.4. Reference to other section	ns	
Reference to other sections	See section 3,8 & 13 for further information	
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe hand	ling	
Usage precautions	Avoid spilling. Avoid contact with skin and eyes.	
7.2. Conditions for safe storag	e, including any incompatibilities	
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.	
Storage class	Chemical storage.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SHELF LIFE OF DILUTION 12 MONTHS		
SECTION 8: Exposure Controls/personal protection		
8.1. Control parameters Occupational exposure limits CITRIC ACID Long-term exposure limit (8-ho Short-term exposure limit (15-		
Ingredient comments	WEL = Workplace Exposure Limits	
	CITRIC ACID (CAS: 77-92-9)	
Ingredient comments WEL = Workplace Exposure Limits		

8.2. Exposure controls

Protective equipment

(î)

Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

### **SECTION 9: Physical and Chemical Properties**

9.1. Information on basic physical and chemical properties		
Appearance	Liquid.	
Colour	Purple.	
Odour	Lemon.	
рН	2-4	
Initial boiling point and range	100°C @ 760 mm Hg	
Relative density	1.04 @ 20°C	
9.2. Other information		
Other information	None.	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
Reactivity	No test data specifically related to reactivity available for this product or its ingredients.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	None known.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid excessive heat for prolonged periods of time.	
10.5. Incompatible materials		
Materials to avoid	None known.	
10.6. Hazardous decomposition products		

Hazardous decomposition Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). products

SECTION 11: Toxicological in	nformation	
11.1. Information on toxicolog	gical effects	
Acute toxicity - oral		
ATE oral (mg/kg)	6,250.0	
Acute toxicity - dermal		
ATE dermal (mg/kg)	110,000.0	
Inhalation	Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.	
Ingestion	May cause discomfort if swallowed.	
Skin contact	Liquid may irritate skin.	
Eye contact	Irritating to eyes.	
SECTION 12: Ecological Info	rmation	
Ecotoxicity	Not regarded as dangerous for the environment.	
-		
<u>12.1. Toxicity</u>	<b>-</b>	
Toxicity	The product is not believed to present a hazard due to its physical nature.	
12.2. Persistence and degrac		
Persistence and degradability	Y The product is biodegradable.	
12.3. Bioaccumulative potent	ial	
Bioaccumulative potential	Not known.	
12.4. Mobility in soil		
Mobility	The product is soluble in water.	
12.5. Results of PBT and vPv	/B assessment	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal consi	derations	
13.1. Waste treatment metho	<u>ds</u>	
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
SECTION 14: Transport information		
Road transport notes	Not classified.	
Rail transport notes	Not classified.	
Sea transport notes	Not classified.	

#### Air transport notes

Not classified.

#### 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

Not applicable.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

#### Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
Guidance	Workplace Exposure Limits EH40.
	CHIP for everyone HSG228.
	Safety Data Sheets for Substances and Preparations
	Approved Classification and Labelling Guide (Sixth edition) L131.

#### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

#### SECTION 16: Other information

Revision date	28/09/2017
Revision	11
Supersedes date	11/05/2017
SDS number	D34

Risk phrases in full	<ul> <li>R10 Flammable.</li> <li>R21/22 Harmful in contact with skin and if swallowed.</li> <li>R22 Harmful if swallowed.</li> <li>R34 Causes burns.</li> <li>R36 Irritating to eyes.</li> <li>R36/37/38 Irritating to eyes, respiratory system and skin.</li> <li>R38 Irritating to skin.</li> <li>R41 Risk of serious damage to eyes.</li> <li>R43 May cause sensitisation by skin contact.</li> <li>R50 Very toxic to aquatic organisms.</li> <li>R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> </ul>
Hazard statements in full	<ul> <li>H226 Flammable liquid and vapour.</li> <li>H290 May be corrosive to metals.</li> <li>H302 Harmful if swallowed.</li> <li>H312 Harmful in contact with skin.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H318 Causes serious eye damage.</li> <li>H319 Causes serious eye irritation.</li> <li>H335 May cause respiratory irritation.</li> <li>H400 Very toxic to aquatic life.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> <li>H412 Harmful to aquatic life with long lasting effects.</li> <li>EUH208 Contains LIMONENE. May produce an allergic reaction.</li> </ul>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.