

SAFETY DATA SHEET *From Berwick Care Equipment* Lancaster Road, Shrewsbury, SY1 3LG Tel: 0845 3811138 Email: sales@berwickcare.co.uk

GleemX Kitchen Surface Cleaner

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name: Product no.: **GleemX Kitchen Surface Cleaner**

61307BERWAO

1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified

uses of the substance or mixture: Cleaning product Use descriptors (UK REACH):

Sectors of use	Description	
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)	
Product category	Description	
PC 35	Washing and Cleaning Products (including solvent based products)	

Uses advised against :

Process category	Description	
	Uses other than those identified are not recommended	

1.3. Details of the supplier of the safety data sheet *Company and address:*

Berwick Care Equipment Lancaster Court Lancaster Road Shrewsbury

Contact person:
E-mail:
Revision:

Sales sales@berwickcare.co.uk 13/04/2023 SDS Version:

1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Skin Irrit. 2; H315, Causes skin irritation.

Eye Dam. 1; H318, Causes serious eye damage.

Aquatic Chronic 3; H412, Harmful to aquatic life with long lasting effects.

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

Hazard pictogram(s): Signal word:	Danger
Hazard statement(s):	Causes skin irritation. (H315) Causes serious eye damage. (H318) Harmful to aquatic life with long lasting effects. (H412)
Precautionary statements:	
General:	-
Prevention: Response:	Wash hands and exposed skin thoroughly after handling. (P264) Avoid release to the environment. (P273) Wear eye protection/protective gloves/protective clothing. (P280) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338) Immediately call a POISON CENTER/doctor. (P310)
Storage:	-
Disposal:	Dispose of contents/container in accordance with local regulation. (P501)
Hazardous substances:	Alcohols, C9-11, ethoxylated didecyldimethylammonium chloride Amines, C12- 14 (even numbered) alkyldimethyl, N-oxides

	Additional labelling:	Active substance(s): Quaternary ammonium compounds, benzylC12-16- alkyldimethyl, chlorides (1.5 g/100g) didecyldimethylammonium chloride (1.3 g/100g) propan-2-ol;isopropyl alcohol;isopropanol (0.619 g/100g)
2.3.	Other hazards	
	Additional warnings:	This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU)

2018/605.

2017/2100 or Commission Regulation (EU)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Alcohols, C9-11, ethoxylated	CAS No.: 68439-46-3 EC No.: 614-482-0 UK-REACH: Index No.:	3-5%	Acute Tox. 4, H302 Eye Dam. 1, H318	[19]
Quaternary ammonium compounds, benzyl-C1216- alkyldimethyl, chlorides	CAS No.: 68424-85-1 EC No.: 270-325-2 UK-REACH: Index No.:	1-3%	Acute Tox. 4, H302 Skin Corr. 1B, H314	[19]
didecyldimethylammoniu m chloride	CAS No.: 7173-51-5 EC No.: 230-525-2 UK-REACH: Index No.: 612-131-00-6	1-3%	EUH071 Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1) Aquatic Chronic 2, H411	[4]
Amines, C12-14 (even numbered) - alkyldimethyl, N-oxides	CAS No.: 308062-28-4 EC No.: 608-528-9 UK-REACH: Index No.:	<1%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411	

Not applicable. This product is a mixture.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[4] Substance is listed in Annex I of the Prior Informed Consent Regulation (PIC, Regulation (EU) 649/2012).[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law

< 5%

- · Amphoteric surfactants
- · Non-ionic surfactants
- · Disinfectants

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures General

information:

	In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.
Inhalation:	Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.
Skin contact:	IF ON SKIN: Wash with plenty of water/water and soap. Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners. If skin irritation occurs: Get medical advice/attention.
Eye contact:	Upon irritation of the eye: Remove contact lenses. Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.
Ingestion:	If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns:

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed IF exposed or concerned:

Get immediate medical advice/attention. Information to

medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fireextinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are: Halogenated compounds Nitrogen

oxides (NO_x)

Carbon oxides (CO / CO2)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures 6.2. Environmental

precautions

Avoid direct contact with spilled substances.

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste. See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers and store protected from moisture and light. Containers should be dated
when opened and tested periodically for the presence of peroxides. Do not exceed storage time limits.Containers that have been opened must be carefully resealed and kept upright to prevent leakage.
*Recommended storage material:*Keep only in original packaging.Storage temperature:Dry, cool and well ventilatedIncompatible materials:Strong acids, strong bases, strong oxidizing agents,
and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

propan-2-ol;isopropyl alcohol;isopropanol Long term exposure limit (8 hours) (ppm): 400 Long term exposure limit (8 hours) (mg/m³): 999 Short term exposure limit (15 minutes) (ppm): 500 Short term exposure limit (15 minutes) (mg/m³): 1250

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

Alcohols, C9-11, ethoxylated

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	1250 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2080 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	87 mg/m ³
Long term – Systemic effects - Workers	Inhalation	294 mg/m ³
Long term – Systemic effects - General population	Oral	25 mg/kg bw/day
propan-2-ol;isopropyl alcohol;isopropanol		
Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	319 mg/kg bw/day

Duration:	Route of exposure:	DNEL:
tetrasodium ethylene diamine tetraacetate		
Long term – Systemic effects - General population	Oral	3.4 mg/kg bw/day
Long term – Systemic effects - Workers	Inhalation	3.96 mg/m ³
Long term – Systemic effects - General population	Inhalation	1.64 mg/m ³
Long term – Systemic effects - Workers	Dermal	5.7 mg/kg bw/day
Long term – Systemic effects - General population	Dermal	3.4 mg/kg bw/day
Duration:	Route of exposure:	DNEL:
Quaternary ammonium compounds, benzyl-C12-16-alkyl	dimethyl, chlorides	·
Short term – Systemic effects - General population	Oral	51 mg/kg bw/day
Long term – Systemic effects - General population	Oral	26 mg/kg bw/day
Short term – Systemic effects - Workers	Inhalation	1000 mg/m ³
Short term – Systemic effects - General population	Inhalation	178 mg/m³
Long term – Systemic effects - Workers	Inhalation	500 mg/m ³
Long term – Systemic effects - General population	Inhalation	89 mg/m ³
Long term – Systemic effects - Workers	Dermal	888 mg/kg bw/day

Long term – Local effects - General population	Inhalation	600 μg/m³
Long term – Local effects - Workers	Inhalation	1.5 mg/m ³
Long term – Systemic effects - Workers	Inhalation	1.5 mg/m³
Short term – Local effects - General population	Inhalation	1.2 mg/m ³
Short term – Local effects - Workers	Inhalation	3 mg/m³
Short term – Systemic effects - Workers	Inhalation	3 mg/m ³
Long term – Systemic effects - General population	Oral	25 mg/kg bw/day

PNEC

Alcohols, C9-11, ethoxylated

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		103.79 μg/L
Freshwater sediment		13.7 mg/kg
Intermittent release (freshwater)		14 μg/L
Marine water		103.79 μg/L
Marine water sediment		13.7 mg/kg
Sewage treatment plant		1.4 mg/L
Soil		1 mg/kg

didecyldimethylammonium chloride

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		1.1 μg/L
Freshwater sediment		61.86 mg/kg
Intermittent release (freshwater)		210 ng/L
Intermittent release (marine water)		21 ng/L
Marine water		110 ng/L
Marine water sediment		6.186 mg/kg
Sewage treatment plant		140 μg/L
Soil		1.4 mg/kg
propan-2-ol;isopropyl alcohol;isopropanol		

Route of exposure:Duration of Exposure:PNEC:Freshwater140.9 mg/LFreshwater sediment552 mg/kgIntermittent release (freshwater)140.9 mg/L

Marine water	140.9 mg/L
Marine water sediment	552 mg/kg
Predators	160 mg/kg
Sewage treatment plant	2.251 g/L
Soil	28 mg/kg

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		420 ng/L
Freshwater sediment		68 mg/kg
Intermittent release (freshwater)		160 ng/L
Intermittent release (marine water)		207 ng/L
Marine water		96 ng/L
Marine water sediment		15.75 mg/kg
Sewage treatment plant		160 μg/L
Soil		1.66 mg/kg

tetrasodium ethylene diamine tetraacetate

Exposure controls

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		2.83 mg/L
Marine water		283 μg/L
Sewage treatment plant		50 mg/L
Soil		1.1 mg/kg

8.2.

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations:	Smoking, drinking and consumption of food is not allowed in the work area.
Exposure scenarios:	There are no exposure scenarios implemented for this product.
Exposure limits:	Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.
Appropriate technical measures:	The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is

	Recommended	Type/Category	Standards	
	working clothes in cotton or polyester.			
			recommended. Ensure eyewash a showers are clearly marked.	nd emergency
	Hygiene measures:		Take off contaminated clothing before reuse.	and wash it
	Measures to avoid er	nvironmental exposure:	Keep damming materials n If possible, collect spillage during v	•
Individual protection measures, such as personal protective equipment				

Generally:

Use only UKCA marked protective equipment.

Туре	Class	Colour	Standards	
Ensure there is sufficient ventilation.				

Skin protection:

Recommended	Type/Category	Standards	
Wear appropriate protection clothing, e.g. coveralls in polypropylene or	-	-	Ŕ

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	-	EN374	

Eye protection:

Туре	Standards	
Safety glasses	EN166	\bigcirc

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Orange
Odour / Odour threshold:	Characteristic
pH:	7.0 - 8.5
Density (g/cm³):	1.01
Kinematic viscosity:	Testing not relevant or not possible due to

Particle characteristics:

Phase changes

Melting point/Freezing point (°C):

Softening point/range (waxes and pastes) (°C): Boiling point (°C): Vapour pressure:

Relative vapour density:

Decomposition temperature (°C):

Data on fire and explosion hazards

Flash point (°C):

Flammability (°C):

Auto-ignition temperature (°C):

the nature of the product. Does not apply to liquids.

Testing not relevant or not possible due to the nature of the product.

Does not apply to liquids.

0

Testing not relevant or not possible due to the nature of the product.

Testing not relevant or not possible due to the nature of the product.

Testing not relevant or not possible due to the nature of the product.

Testing not relevant or not possible due to the nature of the product.

Testing not relevant or not possible due to the nature of the product.

Testing not relevant or not possible due to the nature of the product.

	Lower and upper explosion limit (% v/v):	Testing not relevant or not possible due to the nature of the product.
Solub	ility	
	Solubility in water:	Completely soluble
	n-octanol/water coefficient:	Testing not relevant or not possible due to the nature of the product.
	Solubility in fat (g/L):	Testing not relevant or not possible due to the nature of the product.
9.2.	Other information	
	Oxidizing properties:	Testing not relevant or not possible due to the nature of the product.
	Other physical and chemical parameters:	No data available.
SECTION 10: STABILITY AND REACTIVITY		

10.1. Reactivity 10.2. Chemical stability

No data available.

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions None known.

10.4. Conditions to avoid None known.

10.5. Incompatible materials 10.6. Hazardous decomposition products

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

The product is not degraded when used as specified in section 1.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law Acute toxicity

Based on available data, the classification criteria are not met. Skin

corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes

serious eye damage. Respiratory

sensitisation

Based on available data, the classification criteria are not met. Skin

sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity Carcinogenicity

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Reproductive toxicity

Based on available data, the classification criteria are not met. STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met. Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards Long term effects

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage. **Endocrine disrupting properties** Not applicable. **Other information** propan-2-ol; isopropyl alcohol; isopropanol has been classified by IARC as a group 3 carcinogen.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

No data available.

12.2. Persistence and degradability No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil No data

available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties Not applicable.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

Not applicable.

Specific labelling Not

applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

14.1 UN	14.2	14.3	14.4	14.5	Other
/ ID	UN proper shipping name	Hazard class(es)	PG*	Env**	information:

ADR -	-	-	-	-	-	-
IMDG -	-	-	-	-	-	-
IATA -	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user Not applicable.

14.7. Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application:	Restricted to professional users.			
Demands for specific education:	No specific requirements.			
SEVESO - Categories / dangerous substances:	Not applicable.			
Biocidal Products Regulations:	Product type: PT2 - Disinfectants and algaecides not intended for direct application to humans or animals			
Restrictions on use:	-			
Directions for use and dose rate:	-			
Additional information:	-			
Additional information:	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.			
Sources:	The Management of Health and Safety at Work Regulations 1999. Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. In accordance with Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products as retained and amended in UK law. Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals as retained and amended in UK law. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.			

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law. Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment No

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3 EUH071, Corrosive

to the respiratory tract.

H302, Harmful if swallowed.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H318, Causes serious eye damage.

- H400, Very toxic to aquatic life.
- H410, Very toxic to aquatic life with long lasting effects. H411, Toxic
- to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen) PC 35 = Washing and Cleaning Products (including solvent based products)

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

EUH statement = CLP-specific Hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Cooperation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional

information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law. The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by Anglian

Chemicals Other

ES = Exposure Scenario

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification. Country-language: GB-en

Page 14 of 14

www.almego.com