



SAFETY DATA SHEET
 From *Berwick Care Equipment*
 Lancaster Road, Shrewsbury, SY1 3LG
 Tel: 0845 3811138
 Email: sales@berwickcare.co.uk

Clinging Oven Cleaner

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name: Clinging Oven Cleaner

Product no.: 61360

1.2. Relevant identified uses of the substance or mixture and uses advised against *Relevant identified*

uses of the substance or mixture: Cleaning product *Use descriptors (UK REACH):*

| Sectors of use | Description |
|------------------|--|
| LCS "PW" | Professional uses: Public domain (administration, education, entertainment, services, craftsmen) |
| Product category | Description |
| PC 35 | Washing and Cleaning Products (including solvent based products) |

advised against :

| Process category | Description |
|------------------|--|
| | Uses other than those identified are not recommended |

1.3. Details of the supplier of the safety data sheet

Company and address:

Berwick Care Equipment
 Lancaster Court
 Lancaster Road
 Shrewsbury
 SY1 3LG
 0845 38 111 38

Contact person:

Sales

E-mail:

sales@berwickcare.co.uk

Revision:

13/04/2023

SDS Version: 1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).
See section 4 “First aid measures”.


SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage.
Eye Dam. 1; H318, Causes serious eye damage.

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

| | |
|----------------------------------|--|
| <i>Hazard pictogram(s):</i> |  |
| <i>Signal word:</i> | Danger |
| <i>Hazard statement(s):</i> | Causes severe skin burns and eye damage. (H314) |
| <i>Precautionary statements:</i> | |
| <i>General:</i> | - |
| <i>Prevention:</i> | Do not breathe vapour/mist. (P260) Wear eye protection/protective gloves/protective clothing. (P280) |
| <i>Response:</i> | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338) Immediately call a POISON CENTER/doctor. (P310) |
| <i>Storage:</i> | - |
| <i>Disposal:</i> | Dispose of contents/container in accordance with local regulation. (P501) |
| <i>Hazardous substances:</i> | sodium hydroxide;caustic soda Alcohols, C12-14, ethoxylated, sulfates, sodium salts |
| <i>Additional labelling:</i> | Not applicable. |

2.3. Other hazards

Additional warnings:

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

| Product/substance | Identifiers | % w/w | Classification | Note |
|---|--|-------|--|------|
| sodium hydroxide;caustic soda | CAS No.: 1310-73-2 EC No.: 215-185-5 UK-REACH: Index No.: 011-002-00-6 | 3-5% | Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 | |
| Alcohols, C12-14, ethoxylated, sulfates, sodium salts | CAS No.: 68891-38-3 EC No.: 500-234-8 UK-REACH: Index No.: | 1-3% | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412 | [19] |

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law

< 5%

- Anionic surfactants

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information:

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person’s condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation:

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact:

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment. Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners. If skin irritation occurs: Get medical advice/attention.

Eye contact:

Upon irritation of the eye: Remove contact lenses. Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

Ingestion:

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit returning mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns:

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed IF exposed or concerned:

Get immediate medical advice/attention. **Information to**

medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fireextinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Nitrogen oxides (NO_x)

Carbon oxides (CO / CO₂)

Some metal oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

Hazchem Code: 2X

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures 6.2. Environmental precautions

Avoid direct contact with spilled substances.

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material:

Keep only in original packaging.

Storage temperature:

Dry, cool and well ventilated

Incompatible materials:

Strong acids

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

sodium hydroxide;caustic soda

Short term exposure limit (15 minutes) (mg/m³): 2

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

| Duration: | Route of exposure: | DNEL: |
|---|--------------------|------------------------|
| Long term – Local effects - General population | Dermal | 79 µg/cm ² |
| Long term – Local effects - Workers | Dermal | 132 µg/cm ² |
| Long term – Systemic effects - General population | Dermal | 1650 mg/kg bw/day |
| Long term – Systemic effects - Workers | Dermal | 2750 mg/kg bw/day |
| Long term – Systemic effects - General population | Inhalation | 52 mg/m ³ |
| Long term – Systemic effects - Workers | Inhalation | 175 mg/m ³ |
| Long term – Systemic effects - General population | Oral | 15 mg/kg bw/day |

sodium hydroxide;caustic soda

| Duration: | Route of exposure: | DNEL: |
|--|--------------------|---------------------|
| Long term – Local effects - General population | Inhalation | 1 mg/m ³ |
| Long term – Local effects - Workers | Inhalation | 1 mg/m ³ |

PNEC

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

| Route of exposure: | Duration of Exposure: | PNEC: |
|-----------------------------------|-----------------------|-------------|
| Freshwater | | 240 µg/L |
| Freshwater sediment | | 916.8 µg/kg |
| Intermittent release (freshwater) | | 71 µg/L |
| Marine water | | 24 µg/L |
| Marine water sediment | | 91.7 µg/kg |
| Sewage treatment plant | | 10 g/L |
| Soil | | 7.5 mg/kg |

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations:

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios:

There are no exposure scenarios implemented for this product.

Exposure limits:

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures:

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Hygiene measures:

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure:

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment


Generally:

Wash contaminated clothing before reuse. Use only UKCA marked protective equipment.


Respiratory Equipment:

| Type | Class | Colour | Standards | |
|----------------------------|-------|--------|-----------|--|
| Ensure there is sufficient | | | | |
| Type | Class | Colour | Standards | |
| ventilation. | | | | |


Skin protection:

| Recommended | Type/Category | Standards | |
|--|---------------|-----------|---|
| Wear appropriate protection clothing, e.g. coveralls in polypropylene or working clothes in cotton or polyester. | - | - |  |

Hand protection:

| Material | Glove thickness (mm) | Breakthrough time (min.) | Standards | |
|----------|----------------------|--------------------------|-----------|---|
| Gloves | - | > 360 | EN374 |  |

Eye protection:

| Type | Standards | |
|----------------|-----------|---|
| Safety glasses | EN166 |  |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| | |
|------------------------------------|--|
| <i>Physical state:</i> | Liquid |
| <i>Colour:</i> | Colourless |
| <i>Odour / Odour threshold:</i> | Characteristic |
| <i>pH:</i> | 13.0 |
| <i>Density (g/cm³):</i> | Testing not relevant or not possible due to the nature of the product. |
| <i>Kinematic viscosity:</i> | Testing not relevant or not possible due to the nature of the product. |
| <i>Particle characteristics:</i> | Does not apply to liquids. |

Phase changes

| | |
|---|--|
| <i>Melting point/Freezing point (°C):</i> | Testing not relevant or not possible due to the nature of the product. |
| <i>Softening point/range (waxes and pastes) (°C):</i> | Does not apply to liquids. |
| <i>Boiling point (°C):</i> | Testing not relevant or not possible due to the nature of the product. |
| <i>Vapour pressure:</i> | Testing not relevant or not possible due to the nature of the product. |
| <i>Relative vapour density:</i> | Testing not relevant or not possible due to the nature of the product. |
| <i>Decomposition temperature (°C):</i> | Testing not relevant or not possible due to the nature of the product. |

Data on fire and explosion hazards

| | |
|---|--|
| <i>Flash point (°C):</i> | Testing not relevant or not possible due to the nature of the product. |
| <i>Flammability (°C):</i> | Testing not relevant or not possible due to the nature of the product. |
| <i>Auto-ignition temperature (°C):</i> | Testing not relevant or not possible due to the nature of the product. |
| <i>Lower and upper explosion limit (% v/v):</i> | Testing not relevant or not possible due to the nature of the product. |

Solubility

| | |
|-------------------------------------|--|
| <i>Solubility in water:</i> | Very soluble |
| <i>n-octanol/water coefficient:</i> | Testing not relevant or not possible due to the nature of the product. |
| <i>Solubility in fat (g/L):</i> | Testing not relevant or not possible due to the nature of the product. |

9.2. Other information

| | |
|--|--|
| <i>Oxidizing properties:</i> | Testing not relevant or not possible due to the nature of the product. |
| <i>Other physical and chemical parameters:</i> | No data available. |

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity 10.2. Chemical stability

No data available.

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions None known.

10.4. Conditions to avoid None

known.

10.5. Incompatible materials Strong acids

10.6. Hazardous decomposition

products

The product is not degraded when used as specified in section 1.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law Acute toxicity

Based on available data, the classification criteria are not met. **Skin**

corrosion/irritation

Causes severe skin burns and eye damage. **Serious eye**

damage/irritation

Causes serious eye damage. **Respiratory**

sensitisation

Based on available data, the classification criteria are not met. **Skin**

sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity Carcinogenicity

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. **Reproductive toxicity**

Based on available data, the classification criteria are not met.

STOT-single exposure STOT-repeated exposure Aspiration hazard 11.2. Information on other hazards

Long term effects

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Endocrine disrupting properties Not applicable.

Other information None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

No data available.

12.2. Persistence and degradability No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties Not applicable.

12.7. Other adverse effects None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product is covered by the regulations on hazardous waste.
 HP 8 – Corrosive
 Dispose of contents/container to an approved waste disposal plant.
 Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code




Not applicable.

Specific labelling Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

| | 14.1 UN / ID | 14.2 UN proper shipping name | 14.3 Hazard class(es) | 14.4 PG* | 14.5 Env** | Other information: |
|------|--------------|---|--|----------|------------|---|
| ADR | UN1760 | CORROSIVE LIQUID, N.O.S. (sodium hydroxide;caustic soda) | Class: 8 Labels: 8 Classification code: C9  | III | No | Limited quantities: 5 L Tunnel restriction code: (E) See below for additional information. |
| IMDG | UN1760 | CORROSIVE LIQUID, N.O.S. (sodium hydroxide;caustic soda) | Class: 8 Labels: 8 Classification code: C9  | III | No | Limited quantities: 5 L EmS: F-A S-B See below for additional information. |
| IATA | UN1760 | CORROSIVE LIQUID, N.O.S. (sodium hydroxide;caustic soda) | Class: 8 Labels: 8 Classification code: C9  | III | No | See below for additional information. |

* Packing group

** Environmental hazards

Additional information

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods. Hazchem Code: 2X

14.6. Special precautions for user Not applicable.

14.7. Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application:

Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

Demands for specific education:

No specific requirements.

SEVESO - Categories / dangerous substances:

Not applicable.

Additional information:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Sources:

The Management of Health and Safety at Work Regulations 1999.
Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.
Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.
Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

 No

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

H290, May be corrosive to metals.

H314, Causes severe skin burns and eye damage.
H315, Causes skin irritation.
H318, Causes serious eye damage.
H412, Harmful to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
PC 35 = Washing and Cleaning Products (including solvent based products)

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative **Additional**

information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.
The classification of the substance/mixture in regard of skin corrosion and serious eye damage

is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by Anglian

Chemicals **Other**

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification. Country-language: GB-en

