

SAFETY DATA SHEET

From Berwick Care Equipment

Lancaster Road, Shrewsbury, SY1 3LG Tel: 0845 3811138 Email: sales@berwickcare.co.uk

GleemX Lemon Floor Gel

1.1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name:	LEMON GEL
Product Code:	M100
Safety Data Sheet No:	10221
Supplier: Main & Emergency Tel No: Product Features:	Berwick Care Equipment, Lancaster Court, Lancaster Road, Shrewsbury, SY1 3LG 07143 44011 (7.00am - 5,00pm Mon - Fri) Lemon Floor Gel is a general use floor cleaning and maintenance product. For the daily cleaning of polished floor finishes. Can be used in a hand sprayer or by mopping.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the sub Physical hazards	stance or mixture Classification (EC 1272/2008) Not Classified
Health hazards	Eye Irrit. 2 - H319
Environmental hazards	Not Classified
Environmental hazards	Not Classified

2.2. Label elements

Hazard pictograms



Signal word Hazard statements	Warning H319 Causes serious eye irritation.
Precautionary statements	P264 Wash contaminated skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention.
Detergent labelling	Contains BRONOPOL (INN), CITRAL, d-LIMONENE

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

CAS number: 68411-30-3	EC number: 270-115-0	REACH registration number:	
2A5 Humber, 00-11-50-5	Le humber. 270-113-0	012119489428-22-XXXX	
Classification			
Acute Tox. 4 - H302			
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			<u>.</u>
BRONOPOL (INN)			<19
CAS number: 52-51-7	EC number: 200-143-0	REACH registration number:	
		012119980938-15-XXXX	
M factor (Acute) = 10			
Classification			
Acute Tox. 4 - H302 Acute Tox. 4 - H312			
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			
STOT SE 3 - H335			
Aquatic Acute 1 - H400			
Aquatic Chronic 2 - H411			
SODIUM HYDROXIDE			<15
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 012119457892-27-XXXX	
Classification			
Skin Corr. 1A - H314			
Eye Dam. 1 - H318			

4.1. Description of first aid measures

Inhalation	Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air at once. Keep affected person under observation. Get medical attention if symptoms are severe or persist.
Ingestion	Rinse mouth. Do not induce vomiting unless under the direction of medical personnel. Give plenty of water to drink. Give milk instead of water if readily available. Get medical attention if a large quantity has been ingested.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention if any discomfort continues.
4.2. Most important syn Inhalation	nptoms and effects, both acute and delayed No adverse effects known. May cause respiratory

irritation.

Ingestion	No adverse effects known. May be harmful if swallowed.	
Skin contact	No adverse effects known. May cause skin irritation.	
Eye contact	Causes serious eye irritation.	
4.3. Indication of any immediate medical attention and special treatment		
needed Notes for the doctor	No specific recommendations.	
Specific treatments	Treat symptomatically.	

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising fr Specific hazards	rom the substance or mixture None known.	
Hazardous combustion products	Irritating gases or vapours.	
5.3. Advice for firefighters		
Protective actions during firefighting	Avoid breathing fire gases or vapours. Fight fire with normal precautions from a reasonable distance.	
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	
SECTION 6: ACCIDENTAL RELEASE MEASURES		

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes and clothing. Take care as floors and other surfaces may become slippery. Do not touch or walk into spilled material.

6.2. Environmental precautions

Environmental precautions Avoid discharge to the aquatic environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Following dilution and neutralisation, discharge to the sewer with plenty of water may be permitted.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Usage precautions For professional users only. Avoid contact with skin, eyes and clothing. Avoid breathing spray.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep only in the original container. Keep container tightly sealed when not in use. Store at temperatures between 0°C and 40°C.

Storage class

Chemical storage.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide (PUG) for further information.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters Occupational exposure limits

SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m³ WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	No specific ventilation requirements.	
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.	
Hand protection	For users with sensitive skin, it is recommended that suitable protective gloves are worn. It is recommended that gloves are made of the following material: Rubber (natural, latex). Nitrile rubber.	
Hygiene measures	Wash promptly if skin becomes contaminated.	
Respiratory protection	Respiratory protection may be required if excessive airborne contamination occurs.	
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES		

9.1. Information on basic physical and chemical properties

Appearance	Gel
Colour	Yellow.
Odour	Lemon.
рН	pH (concentrated solution): 8 - 9
Initial boiling point and range	Not determined.
Flash point	Not applicable.
Flammability (solid, gas)	Not applicable.
Relative density	~ 1.01 @ 20°C
Solubility(ies)	Soluble in water.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not determined.
Viscosity	5500 - 7500 cP @ 20°C Slightly viscous.
Oxidising properties	Does not meet the criteria for classification as oxidising.
9.2. Other information	
Refractive index	4 - 6

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended.
10.3. Possibility of hazardou	is reactions
Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
10.5. Incompatible material	5
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decomposit	ion products
Hazardous decomposition No	known hazardous decomposition products. products
SECTION 11: TOXICOLOGICA	
11.1. Information on toxicol	ogical effects
Toxicological effects	Information given is based on data of the components and of similar products.
<u> Acute toxicity - oral</u>	
ATE oral (mg/kg)	25,000.0
Serious eye damage/irritatio	
Serious eye damage/irritation	Causes serious eye irritation.
Medical considerations	Pre-existing eye problems.
SECTION 12: ECOLOGICAL IN	FORMATION
Ecotoxicity	The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.
12.1. Toxicity	
Toxicity	The product is not believed to present a hazard due to its physical nature.
12.2. Persistence and degra	dability
Persistence and degradability	Moderately biodegradable.
12.3. Bioaccumulative poter	itial
Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.
12.4. Mobility in soil	

Mobility

The product is water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB. assessment

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: DISPOSAL CONSIDERATIONS		

13.1. Waste treatment methods

General information	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor.
Disposal methods	Dispose of waste product or used containers in accordance with local regulations Discharge of small quantities to the sewer with plenty of water may be permitted.

SECTION 14: TRANSPORT INFORMATION

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
	Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended).
	Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May
	2012 concerning the making available on the market and use of biocidal products (as
	amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
	December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
	Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).
Guidance	EH40/2005 Workplace exposure limits
	Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations 2002 (as amended)
	Health and Safety Executive

15.2. Chemical safety assessment

SECTION 16: Other information		
Issued by	Regulatory Chemist	
Revision date	15/01/2021	
Revision	14	
Supersedes date	26/05/2020	
SDS number	10221	
Hazard statements in full	H302 Harmful if swallowed.	
	H312 Harmful in contact with skin.	
	H314 Causes severe skin burns and eye damage.	
	H315 Causes skin irritation.	
	H318 Causes serious eye damage.	
	H319 Causes serious eye irritation.	
	H335 May cause respiratory irritation.	
	H400 Very toxic to aquatic life.	
	H411 Toxic to aquatic life with long lasting effects.	
This information relates only	to the specific material designated and may not be valid for such material used in	

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

Revision date: 26/04/2023

Superseded: 15/01/2021

Revision No: 15