24/05/23 Revision [CLP]:



SAFETY DATA SHEET

From Berwick Care Equipment Lancaster Road, Shrewsbury, SY1 3LG Tel: 0845 3811138

3*

Email: sales@berwickcare.co.uk

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product form: Mixture

Trade name: GleemX DETAN Tea and Coffee Stain Removal Powder

Product group: Trade product

Product code: M4763

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Professional use Main use category:

Function or use category: Washing and cleaning products (including solvent based products).

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Company Name: Berwick Care Equipment Ltd

> Lancaster Court, Lancaster Road Harlescott Industrial Estate

Shrewsbury

SY1 3LG

Tel: 0845 38 111 38

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Dam. 1: H318; Skin Irrit. 2: H315

2.2 Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard Pictograms (CLP)



Signal word (CLP): Danger

Hazard Statements (CLP): H318: Causes serious eye damage.

H315: Causes skin irritation.

Precautionary Statements (CLP): P102 - Keep out of reach of children

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.

P332 + P313 - If skin irritation occurs: Get medical advice/attention.

M4763 CLP MSDS Page 1 of 6

SAFETY DATA SHEET

compiled according to Regulation (EC) No. 453/2010

Compilation date: 24/05/23 Revision [CLP]:

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

3*

contact lenses, if present and easy to do. Continue rinsing

P337+P313 - If eye irritation persists: Get medical advice/attention

The full texts for all H- and EUH-phrases are displayed in Section 16 'Other Information'.

2.3 Other Hazards

Other hazards not contributing

No presence of PBT and vPvB ingredients. to the classification:

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Common Name	CAS No./ EC No. Classif	ication Co Accoding to (EC) 1272/2008 (CLP)	onc (%)
SODIUM CARBONATE PEROXIDE	15630-89-4 239-707-6	Ox Sol. 3, H272 Acute Tox. 4, H302 Eye Dam. 1, H318	15 - 30%
SODIUM SILICATE PENTAHYDRATE	6834-92-0 229-912-9	Skin Corr. 1B: H314 STOT SE3, H335	15 - 30%
SODIUM CARBONATE	497-19-8 207-838-8	Eye Irrit. 2, H319	15 - 30%
SODIUM C10-C12 BENZENE SULPHONATE	25155-30-0/ 68081-81-2 246-680-4	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335	1 - 5%
ALCOHOL ETHOXYLATE C14-15 PARETH-7EO 68951-6	7-7 Acute Polymer	Tox. 4 (Oral), H302 1 Eye Dam. 1, H318 Aguatic Acute 1, H400	- 5%

The full texts for all H- and EUH-phrases are displayed in Section 16 'Other Information'.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

First-aid measures after inhalation: IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice if you feel unwell.

First-aid measures after skin contact:

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention, and discontinue use of product.

First-aid measures after eye contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists, immediately call a doctor.

First-aid measures after ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Drink plenty of

water. Seek medical advice if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation: Coughing. sneezing.

Symptoms/injuries after skin contact: Redness. Swelling. dryness. Itching.

Symptoms/injuries after eye contact: Severe pain. Redness. Swelling. Blurred vision.

Symptoms/injuries after ingestion: Oral mucosal or gastro-intestinal irritation. Nausea. Vomiting. Excessive secretion.

Diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Refer to section 4.1.

Compilation date: 24/05/23 Revision [CLP]:

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media: Product itself is not explosive or flammable. The product itself will not burn. If anything, packaging may be involved in a fire. Use CO_2 , dry chemical powder, alcohol resistant foam or other media appropriate for materials actually involved in the fire. If water is used, contain run-off.

Special hazards: When heated sufficiently, product may decompose to form smoke and toxic fumes.

Special protective equipment: Fire fighters should wear approved self-contained breathing apparatus and full protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions:

Avoid contact with skin and eyes. For appropriate personal protection see section 8.

Environmental precautions:

Although this product is suitable for down the drain disposal it is advised that as much of the solid is contained and scooped up, before final dispersal of any residue with water.

Methods and material for containment and clean-up:

Prevent leakage into sewers or surface water by utilising bunding, absorbent booms, drain covers and soil or sand dikes. Contact appropriate environmental protection agencies, (Environment Agency in the UK) and local water authorities if significant contamination occurs.

For small and large spills: scoop spillage into suitable plastic containers and rework/dispose as per local legislation.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling:

Avoid contact with neat product on skin and eyes. Wear protective clothing as per section 8.

Storage precautions:

Store in closed original container in a cool and dry area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Sodium Carbonate (CAS 497-19-8)

DNEL/PNEC Values

DNEL/DMEL (Workers)

Long-term - local effects, inhalation 10 mg/m³

DNEL/DMEL (General population)

Acute - local effects, inhalation 10 mg/m³

SODIUM PERCARBONATE (CAS 15630-89-4)

DNEL/PNEC Values

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	5 mg/m3	Workers	Local
DNEL	Dermal	12.8 mg/cm2	Workers	Local
DNEL	Dermal	6.4 mg/cm2	Consumers	Local
PNEC	Environmental: Water	35 g/l	-	-
PNEC.	Environmental: STP	16 mg/l	-	-

8.2. Exposure controls

8.2.1. Appropriate engineering controls: Not applicable.

8.2.2. Personal protective equipment

Hand protection: Wear gloves during direct contact and hand-washing.

Eye protection: Wear eye/face protection.

Skin and body protection:

Respiratory protection:

Not applicable.

Not applicable.

8.2.3. Environmental exposure controls:

No particular measures required

3*

Compilation date: 24/05/23 Revision [CLP]:

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White powder Odour: Non detectable

pH (10% aqueous solution): ca. 11
Melting point: Not determined
Boiling point: Not determined
Flash point: Not combustible
Evaporation rate: Not determined
Flammability: Not combustible
Explosive properties: Non-Explosive
Oxidising properties: Not determined
Vapour pressure/density: Not determined
Relative density: ca. Not Determined

Water solubility: Soluble

Partition coefficient: Not determined Auto ignition temperature: Not combustible Decomposition temperature: Not determined

Viscosity: Not determined

SECTION 10: STABILITY AND REACTIVITY

Stability:

Stable under normal conditions.

Conditions to avoid:

None

Materials to avoid:

Do not mix with other cleaning products unless advised to do so by a professional from the industry.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute Oral Toxicity:

May cause burns in mucous membranes, throat, oesophagus and stomach.

Acute Inhalation Toxicity:

Dusts may irritate throat and respiratory system and cause coughing.

Acute Dermal Toxicity: Irritating/ damaging to skin Skin Corrosion/Irritation:

May cause chemical burns of the skin. Prolonged contact may cause tissue damage.

Serious eye damage/eye irritation:

Causes burns. Risk of corneal damage. Visual disturbances including blurred vision.

Sensitisation:

Not expected to provoke a sensitisation reaction.

Repeated Dose Toxicity:

Not data available.

Assessment of STOT single exposure: No data available Assessment of STOT repeated exposure: No data available

Risk of Aspiration Toxicity: No data available

Sodium Carbonate (CAS 497-19-8)

LD50 oral rat 2800 mg/kg LD50 dermal rabbit 2001 mg/kg

ATE CLP (oral) 2800 mg/kg bodyweight ATE CLP (dermal) 2001 mg/kg bodyweight

M4763 CLP MSDS Page 4 of 6

3*

compiled according to Regulation (EC) No. 453/2010

Compilation date: 24/05/23 Revision [CLP]: 3*

SECTION 12: ECOLOGICAL INFORMATION

On the basis of raw materials and comparable substances contained in the product the following ecological evaluation is obtained.

Ecotoxicity: This product is intended for wide dispersive use, is not considered harmful to aquatic organisms and is compatible with the down-the-drain disposal route. No known adverse effects on the functioning of water treatment plants under normal use

conditions as recommended. The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Persistence and degradability: This product has not been found to cause long-term adverse effects in the environment. The surfactants used in this product are biodegradable in line with the requirements of EU Detergent Regulation (EC) No 648/2004. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Bioaccumulative potential: The surfactant ingredients of this product are not expected to bioaccumulate. **Mobility in soil:** Not determined.

SECTION 13: DISPOSAL INFORMATION

Consumer products ending up down the drain after use. Observe safe handling precautions and local legislation. The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation EC/648/2004 on detergents.

SECTION 14: TRANSPORT INFORMATION

UN No: None

Classification: Not classified as hazardous for transport.

UN proper shipping name: None

Transport hazard class: Not subject to ADR/IATA/IMDG/RID codes.

Packing group: None

Environmental hazards: None

Special precautions for user: None

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions. Contains no substance on the REACH candidate list

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

16. Other information SECTION 16: OTHER INFORMATION

Usage and handling instructions are not mentioned on this Material Safety Data Sheet. The labelling of the product is indicated in Section 2.2.

The full text of the H- and EUH-phrases indicated in this safety data sheet are as follows:

Aquatic Acute 1: Acute aquatic toxicity, Category 1

SAFETY DATA SHEET compiled according to Regulation (EC) No. 453/2010

Compilation date: 24/05/23 Revision [CLP]: 3*

Acute Tox. 4 (Oral): Acute toxicity (oral), Category 4

Eye Dam. 1: Serious eye damage/eye irritation, Category 1
Eye Irrit. 2: Serious eye damage/eye irritation, Category 2

Ox. Sol. 3: Oxidising Solids, Category 3

Skin Irrit. 2: Skin corrosion/irritation, Category 2

Skin Corr. 1: Skin corrosion, Category 1B

STOT SE 3: Specific target organ toxicity- single exposure, Category 3, Respiratory tract irritation

H272 May intensify fire; oxidiser H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H315 Causes skin irritation
H318 Causes serious eye damage
H319 Causes serious eye irritation
H335 May cause respiratory irritation
H400 Very toxic to aquatic life

The information given has been compiled with reference to the Chemicals (Hazard Information & Packaging For Supply) Regulations (CHIP4) 2009 as amended, the Registration, Evaluation, Authorisation & Restriction of Chemicals (REACH) Regulations, as amended, the Control of Substances Hazardous to Health Regulations (COSHH) 2002, as amended, and Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. This information also harmonises the provisions and criteria for the classification and labelling of substances, mixtures and certain specific articles within the Community, taking into account the classification criteria and labelling rules of the GHS.

- * Version History Reason for Revision:
- 1. Add Classification According to (EC) 1272/2008 (CLP)
- 2. Remove Classification According to Directive 67/548/EEC or 1999/45/EC. Update Supplier Address

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.