CLEENOL For a cleaner, safer world

SAFETY DATA SHEET TOILET DESCALER

SECTION 1: Identification	of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	TOILET DESCALER
Internal identification	082940, 082952X5
Container size	12x750ml, 2x5L
1.2. Relevant identified use	es of the substance or mixture and uses advised against
Identified uses	Toilet cleaner and descaler.
1.3. Details of the supplier	of the safety data sheet
Supplier	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel: +44 (0)1295 251721 sales@cleenol.co.uk
1.4. Emergency telephone	number
Emergency telephone	In case of a medical emergency following exposure to a chemical, call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).
SECTION 2: Hazards iden	tification
2.1. Classification of the su	ibstance or mixture
Classification (EC 1272/20	08)

Classification (EC 1272/2008)	
Physical hazards	Not Classified
Health hazards	Skin Corr. 1B - H314 Eye Irrit. 2 - H319
Environmental hazards	Aquatic Chronic 3 - H412

2.2. Label elements

Hazard pictograms



Signal word	Danger
Hazard statements	H314 Causes severe skin burns and eye damage. H319 Causes serious eye irritation.
	H412 Harmful to aquatic life with long lasting effects.

Precautionary statements	 P260 Do not breathe vapour/ spray. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P363 Wash contaminated clothing before reuse.
Contains	PHOSPHORIC ACID 65%, 2,2'-(OCTADEC-9-ENYLIMINO) BISETHANOL
Supplementary precautionary statements	 P264 Wash contaminated skin thoroughly after handling. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 Immediately call a POISON CENTER/ doctor. P321 Specific treatment (see medical advice on this label). P337+P313 If eye irritation persists: Get medical advice/ attention. P405 Store locked up. P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

PHOSPHORIC ACID 65%		10-30
CAS number: 7664-38-2	EC number: 231-633-2	
Classification		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
2,2'-(OCTADEC-9-ENYLIMINO)	BISETHANOL	1-59
CAS number: 25307-17-9	EC number: 246-807-3	REACH registration number: 01- 2119510876-35-XXXX
M factor (Acute) = 10	M factor (Chronic) = 1	
Classification		
Acute Tox. 4 - H302		
Skin Corr. 1A - H314		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first a	aid measures
Inhalation	Remove person to fresh air and keep comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting. Give a few small glasses of water or milk to drink. Keep affected person under observation. Get medical attention if any discomfort continues.
Skin contact	Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if symptoms are severe or persist after washing.

Eye contact	Rinse cautiously with water for several minutes. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention if symptoms are severe or persist after washing.
4.2. Most important symptoms	and effects, both acute and delayed
Inhalation	Irritating to respiratory system.
Ingestion	Harmful if swallowed. May cause chemical burns in mouth, oesophagus and stomach.
Skin contact	May cause serious chemical burns to the skin.
Eye contact	Causes serious eye damage.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations.
Specific treatments	Treat symptomatically.
SECTION 5: Firefighting measurements	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising fr	om the substance or mixture
5.3. Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapours. Fight fire with normal precautions from a reasonable distance.
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Avoid contact with skin and eyes. Avoid inhalation of vapours. Take care as floors and other surfaces may become slippery. Do not touch or walk into spilled material.
6.2. Environmental precaution	<u>s</u>
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Following dilution, discharge to the sewer with plenty of water may be permitted.
6.4. Reference to other section	ns
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	For professional users only. Handle and open container with care. Avoid contact with skin, eyes and clothing.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Keep only in the original container. Container must be kept tightly closed when not in use.
Storage class	Chemical storage. Corrosive storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide (PUG) for further information.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

PHOSPHORIC ACID ... 65%

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³ Short-term exposure limit (15-minute): WEL 2 mg/m³ WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective	equipment

Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	Wear protective gloves made of the following material: Nitrile rubber. Wear protective gauntlets made of the following material: Polyvinyl chloride (PVC). To protect hands from chemicals, gloves should comply with European Standard EN374.
Hygiene measures	Wash promptly if skin becomes contaminated.
Respiratory protection	No specific requirements are anticipated under normal conditions of use.

SECTION 9: Physical and chemical properties

9.1. Information on basic phys	ical and chemical properties
Appearance	Clear liquid.
Colour	Red.
Odour	Acidic.
рН	pH (concentrated solution): 0.8 - 1.2
Flash point	Not applicable.
Relative density	~ 1.07 @ 20°C
Solubility(ies)	Soluble in water.
Decomposition Temperature	Not determined.
Viscosity	500 - 700 cP @ 20°C Slightly viscous.
Explosive properties	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information	
Refractive index	10.5 - 12.5
Volatile organic compound	See SECTION 3: Composition/information on ingredients.
SECTION 10: Stability and rea	ictivity
10.1. Reactivity	
Reactivity	The reactivity data for this product will be typical of those for the following class of materials: Strong acids.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
10.4. Conditions to avoid	
Conditions to avoid	No specific requirements are anticipated under normal conditions of use.
10.5. Incompatible materials	
Materials to avoid	Strong alkalis.
10.6. Hazardous decompositio	on products
Hazardous decomposition products	Does not decompose when used and stored as recommended.
SECTION 11: Toxicological int	formation
SECTION 11: Toxicological int 11.1. Information on toxicologi	
11.1. Information on toxicologi	cal effects
11.1. Information on toxicologi Toxicological effects Acute toxicity - oral	cal effects Information given is based on data of the components and of similar products.
11.1. Information on toxicologi Toxicological effects Acute toxicity - oral ATE oral (mg/kg) Skin corrosion/irritation	cal effects Information given is based on data of the components and of similar products. 25,000.0
11.1. Information on toxicologiToxicological effectsAcute toxicity - oralATE oral (mg/kg)Skin corrosion/irritationSkin corrosion/irritationSerious eye damage/irritation	cal effects Information given is based on data of the components and of similar products. 25,000.0 Causes severe burns.
11.1. Information on toxicologiToxicological effectsAcute toxicity - oralATE oral (mg/kg)Skin corrosion/irritationSkin corrosion/irritationSerious eye damage/irritationSerious eye damage/irritation	cal effects Information given is based on data of the components and of similar products. 25,000.0 Causes severe burns. Causes serious eye damage.
11.1. Information on toxicologiToxicological effectsAcute toxicity - oralATE oral (mg/kg)Skin corrosion/irritationSkin corrosion/irritationSerious eye damage/irritationSerious eye damage/irritationInhalation	cal effects Information given is based on data of the components and of similar products. 25,000.0 Causes severe burns. Causes serious eye damage. Spray/mists may cause respiratory tract irritation.
11.1. Information on toxicologiToxicological effectsAcute toxicity - oralATE oral (mg/kg)Skin corrosion/irritationSkin corrosion/irritationSerious eye damage/irritationSerious eye damage/irritationInhalationIngestion	cal effects Information given is based on data of the components and of similar products. 25,000.0 Causes severe burns. Causes serious eye damage. Spray/mists may cause respiratory tract irritation. Corrosive. May cause chemical burns in mouth and throat.
11.1. Information on toxicologiToxicological effectsAcute toxicity - oralATE oral (mg/kg)Skin corrosion/irritationSkin corrosion/irritationSerious eye damage/irritationSerious eye damage/irritationInhalationIngestionSkin contact	cal effects Information given is based on data of the components and of similar products. 25,000.0 Causes severe burns. Causes serious eye damage. Spray/mists may cause respiratory tract irritation. Corrosive. May cause chemical burns in mouth and throat. Causes serious eye damage. Causes severe burns. Causes severe burns.
11.1. Information on toxicologi Toxicological effects Acute toxicity - oral ATE oral (mg/kg) Skin corrosion/irritation Skin corrosion/irritation Serious eye damage/irritation Serious eye damage/irritation Inhalation Ingestion Skin contact Eye contact SECTION 12: Ecological inform	cal effects Information given is based on data of the components and of similar products. 25,000.0 Causes severe burns. Causes serious eye damage. Spray/mists may cause respiratory tract irritation. Corrosive. May cause chemical burns in mouth and throat. Causes serious eye damage. Tauses serious eye damage. Causes severe burns. Causes severe burns. Causes severe burns. Causes severe burns. Causes serious eye damage.
11.1. Information on toxicologi Toxicological effects Acute toxicity - oral ATE oral (mg/kg) Skin corrosion/irritation Skin corrosion/irritation Serious eye damage/irritation Serious eye damage/irritation Inhalation Ingestion Skin contact Eye contact	cal effects Information given is based on data of the components and of similar products. 25,000.0 Causes severe burns. Causes serious eye damage. Spray/mists may cause respiratory tract irritation. Corrosive. May cause chemical burns in mouth and throat. Causes serious eye damage. Causes severe burns. Causes severe burns.

12.2. Persistence and degrada	bility	
	The degradability of the product is not known.	
12.3. Bioaccumulative potentia		
Bioaccumulative potential	- The product is not bioaccumulating.	
12.4. Mobility in soil		
Mobility	The product is water-soluble and may spread in water systems.	
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
General information	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor.	
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
SECTION 14: Transport inform	nation	
14.1. UN number		
UN No. (ADR/RID)	3264	
UN No. (IMDG)	3264	
UN No. (ICAO)	3264	
UN No. (ADN)	3264	
14.2. UN proper shipping name	9	
Proper shipping name (ADR/RID)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID)	
Proper shipping name (IMDG)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID)	
Proper shipping name (ICAO)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID)	
Proper shipping name (ADN)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID)	
14.3. Transport hazard class(e	s <u>)</u>	
ADR/RID class	8	
ADR/RID classification code	C1	
ADR/RID label	8	
IMDG class	8	
ICAO class/division	8	
ADN class	8	

Transport labels



14.4. Packing group		
ADR/RID packing group	III	
IMDG packing group	Ш	
ICAO packing group	III	
ADN packing group	Ш	
14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant No.		
14.6. Special precautions for user		
IMDG Code segregation group	1. Acids	
EmS	F-A, S-B	
ADR transport category	3	

IMDG Code segregation group	1. Acids	
EmS	F-A, S-B	
ADR transport category	3	
Emergency Action Code	2X	
Hazard Identification Number (ADR/RID)	80	
Tunnel restriction code	(E)	
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Guidance	EH40/2005 Workplace exposure limits Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations 2002 (as amended) Health and Safety Executive

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information		
Issued by	Regulatory Chemist	
Revision date	03/06/2021	
Revision	11	
Supersedes date	28/10/2020	
SDS number	10234	
Hazard statements in full	 H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. 	

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.