

SAFETY DATA SHEET TURBOJET AIR SANITISER SPRAY AEROSOL 500ml – FRESH LINEN

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Form: Mixture

Product Name: Turbojet air sanitiser

Product No: EFF294920

1.2 Relevant identified uses of the substances of mixture and uses advised against

1.2.1 Relevant Identified uses
Air Freshener for general use
1.2.2 Uses advised against

No additional information available

1.3 Details of the supplier of the data sheet

Supplier AFT Aerosols

Unit 8, Berryhill industrial estate

Berryhill road

Fenton

Stoke- on- Trent

ST4 2NL

1.4 Emergency telephone number

+44 (0) 1782 285 700

Mon - Thurs 0730-1730: Fri 0730-1400

Section 2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to (EC) 1272/2008 [CLP]

Aerosol Category 1 H222;H229

Serious eye damage/eye irritation Category 2 H319

The full text for all Hazard statements are displayed in Section 16.

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol

2.2 Label elements

Label in accordance with (EC) 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02 GHS07

Signal Word (CLP): Danger

Hazard Statements (CLP):

H222 Extremely Flammable Aerosol

H229 Pressurised container: May burst if heated

H319 Causes serious eye irritation

Precautionary Statements (CLP):

P102 Keep out of reach of children

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking

P211 Do not spray on an open flame or other ignition source

P251 Do not pierce or burn even after use

P501 Dispose of contents/container in accordance with Local Regulations

Supplementary Precautionary Statements:

P273 Avoid release into the environment

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P370+378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P410+412 Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F.

2.3 Other hazards:

No additional information available

Sections 3. Composition / information on ingredients

3.1 Substance

Not applicable

3.2 Mixtures

Contains:

Name	CAS EC		%	Classification for (CLP)	
				1272/2008	
Petroleum Gases Liquified	68476-85-7	270-704-2	70-100%	Flam Gas 1-H220	
Ethyl alcohol	64-17-5	200-578-6	<20%	Flam Liq 2-H225	
				Eye Irrit 2:H319 (SCL	
				≥50%)	

The full text for Hazard and Precautionary statements are listed in Section 16.

Section 4. First aid measures

4.1 First aid measures

General information

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

Inhalation

Move the exposed person to fresh air at once. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Keep the affected person warm and at rest. Get prompt medical attention.

Ingestion

DO NOT induce vomiting. Get medical attention immediately

Skin contact

Wash the skin immediately with soap and water. Promptly remove clothing if soaked through and wash as above. Get medical attention if any discomfort continues.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms/injuries: Not expected to present a significant hazard under anticipated conditions of

normal use

Symptoms/injuries after inhalation: Not expected to present a significant inhalation hazard under anticipated

conditions of normal use. May cause slight irritation.

Symptoms/injuries after skin contact: Not expected to present a significant skin hazard under anticipated

conditions of normal use. May cause slight irritation.

Symptoms/injuries after eye contact: Causes eye irritation.

Symptoms/injuries after ingestion: Not expected to present a significant ingestion hazard under anticipated

conditions of normal use. May cause a light irritation of the linings of the

mouth, throat, and gastrointestinal tract.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture.

Fire hazard: Extremely flammable aerosol

Reactivity in case of fire: Not known

Hazardous decomposition

Products in case of fire: Toxic fumes may be released

5.3 Advice for fire fighters:

Precautionary measures fire: Stop leak if safe to do so

Firefighting instructions: Eliminate all ignition sources if safe to do so. Fight fire with normal

Precautions from a reasonable distance

Protection during firefighting: Do not attempt to take action without suitable protective equipment.

Self-contained breathing apparatus. Complete protective clothing.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

General measures: Ensure adequate ventilation. Eliminate ignition sources. Avoid release into

The environment.

6.1.1 For non-emergency personnel

Protective equipment: Not required for normal conditions of use

Emergency procedure: Ventilate spillage area. Eliminate all ignition sources if safe to do so. Avoid contact

With skin and eyes

6.1.2 for emergency responders

Protective equipment: Do not attempt to take action without suitable protective equipment. For further

Information refer to section 8:"Exposure controls/personal protection". Avoid

Contact with skin and eyes.

Emergency procedure: Ventilate spillage area. Eliminate all ignition sources if safe to do so.

6.2 Environmental precautions:

Avoid release into the environment.

6.3 Methods and material for containment and cleaning up:

For containment: Not applicable

Methods for cleaning up: This material and its container must be disposed of in a safe way, as per

local regulations and legislation.

Other information: This material and its container must be disposed of as hazardous waste. Dispose of

in a safe way, as per local regulations and legislation.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Additional hazards when

processed: Handle empty containers with care because residual vapours are flammable.

In use, may form flammable vapour-air mixture. Pressurized container: Do not

Pierce, or burn, even after use.

Precautions for safe handling: Keep away from heat, hot surfaces, sparks, open flames and other ignition

Sources. No smoking. Do not spray on to an open flame or other ignition Source. Pressurized container: do not pierce or burn, even after use.

Hygiene measures: Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities.

Technical measures: Ensure adequate ventilation

Storage conditions: Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F

Store in a well ventilated place. Keep cool.

Incompatible products: Strong bases, strong acids. Oxidising agents. Incompatible materials: Sources of ignition. Heat sources. Direct sunlight.

Storage area: Store in a well ventilated place. Keep away from open flames, hot surfaces,

And sources of ignition.

Special rules on packaging: Keep only in original container.

7.3 Specific end use(s):

Air care products. Use in accordance with good manufacturing and industrial hygiene practises.

Section 8. Exposure controls/personal protection

8.1 Control Parameters

No additional information available.

8.2 Exposure controls

Workplace exposure limits:

Ingredient	CAS	EC	STD	TWA – 8 Hrs	STEL- 15 Min	Reference
Petroleum	6847	270-	WEL	1000 ppm	1250ppm	UK EH40 Dec
Gases	6-85-	704-2		1750 mg.m ³	2180 mg.m ³	2011
Liquefied	7					
Ethyl	64-	200-	WEL	1000 ppm		UK EH40 Dec
alcohol	17-5	578-6		1290 mg.m ³		2011

Derived No Effect Levels (DNEL):

Petroleum Gases Liquified

Not applicable

Ethanol

DNEL for workers

Inhalation DNEL (short term, 1900 mg/m3 (irritation respiratory tract)

local)

Inhalation DNEL (long term, 950 mg/m3 (carcinogenicity)

systemic)

Dermal DNEL (long term, 343 mg/kg bw/day (repeated dose toxicity)

systemic)

DNEL for the general population

Inhalation DNEL (short term, 950 mg/m3 (irritation respiratory tract)

local)

Inhalation DNEL (long-term, 114 mg/m3 (carcinogenicity)

systemic)

Dermal DNEL (long-term, 206 mg/kg bw/day (repeated dose toxicity)

systemic)

Oral DNEL (long-term, 87 mg/kg bw/day (repeated dose toxicity)

systemic)

Predicted No Effect Concentration (PNEC):

Petroleum Gases Liquified

Exposure assessments have not been presented for the environment, therefore PNEC values not required

Ethanol

PNEC aqua (freshwater) 0,96 mg/L
PNEC aqua (marine water) 0,79 mg/L
PNEC aqua (intermittent 2,75 mg/L

releases):

PNEC sediment (freshwater): 3,6 mg/kg sediment dw PNEC sediment (marine water): 2,9 mg/kg sediment dw PNEC soil 0,63 mg/kg soil dw

PNEC STP (Sewage Treatment 580 mg/L

Plant)

PNEC oral (food chain) 0,72 g/kg food

8.2 Exposure Controls

Engineering Measures

Distribution, Workplace and Household Settings: Ensure adequate ventilation

Personal Protective Equipment

Eye Protection

Distribution, Workplace and Household Settings: No special protective equipment required

Hand Protection

Distribution, Workplace and Household Settings: No special protective equipment required

Skin and Body Protection

Distribution, Workplace and Household Settings: No special protective equipment required

Respiratory Protection

Distribution, Workplace and Household Settings: No special protective equipment required

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

(a) Physical State
(b) Appearance
(c) Colour
(d) Odour
Liquid
Aerosol.
Amber/Clear
Fragrance

(e) Odour Threshold No data available
(f) Melting point/freezing point No data available

(g) Initial boiling point and boiling range Not applicable - aerosol

(h) Flammability

Or explosive limits No data available

(j) Flash Point Not applicable – aerosol

No data available (k) Auto-ignition temperature (I) Decomposition temperature Not applicable (m) pH as gaseous solution No data available No data available (n) Kinematic Viscosity (o) Dynamic Viscosity No data available (p) Water solubility No data available No data available (q) Solubilities (r) Partition coefficient No data available

(s) Vapour pressure No data available
(t) Relative density No data available

(v) Particle characteristics

Particle Size No data available

Particle size distribution No data available

9.2 Other information

No data available

9.2.1 Information with regards to physical hazards classes

Not applicable

9.2.2 Other safety characteristics

No data available

Section 10.Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid contact with hot surfaces/heat. No flames; no sparks. Eliminate all sources of ignition

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated in accordance with methods given in regulation (EC) No 1272/2008.

Based upon the hazardous properties of the component substances, and their concentrations, this product has been assessed according to the calculation method of CLP, and found not to be classified for toxicological effects.

Acute Toxicity: Not classified

Ethyl Alcohol:

LD50 Oral - Rat 10,470 mg/kg LC50 Inhalation - Rat 30,000 mg/l - 4 hLD50 DermaL - Rabbit 15,800 mg/kg Skin corrosion/Irritation Not classified Serious eye damage/eye irritation Not classified Repiratory or skin sensation Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified **Reproductive Toxicity** Not classified **Specific Target Organ Toxicity** Not classified **Aspiration hazard** Not classified

Potential adverse human health

Effects and symptomsBased on available data, the classification criteria are not met

11.2 Additional Information

Endocrine disrupting properties

Product: Assessment: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., Central nervous system depression, Gastrointestinal disturbance, Nausea, Dizziness, Headache, narcosis, May cause convulsions. Other dangerous properties can not be excluded.

Section 12. Ecological information

12.1 Toxicity:

Based upon the hazardous properties of the component substances, and their concentrations, this product has been assessed according to the calculation method of CLP, and found not to be classified for ecological effects.

Ethyl alcohol

Toxicity to fish LC55 – Primephales promelas (Fathead minnow) – 14,200 mg/l – 96 h

Toxicity to daphnia and other

Aquatic vertebrates LC50 - Ceriodaphnia dubia (Water flea) -5,012 mg/l - 48 h Toxicity to algae EC50 - Chlorella vulgaris (Fresh water algae) -275 mg/l - 72 h

(OECD Test Guidelines 201)

Liquid petroleum gases

Physical properties indicate that petroleum gases will rapidly volatilise from the aquatic environment and that acute and chronic effects would not be observed in practice.

12.2 Persistence and degradability:

Ethyl alcohol

Result: 95% - Readily biodegradable

Liquid petroleum gases

Expected to be readily biodegradable. Oxidises rapidly by photo-chemical reactions in air

12.3 Bioaccumalative potential:

Ethyl alcohol

Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

Liquid petroleum gases

Not expected to bioaccumulate significantly

12.4 Mobility in soil:

Ethyl alcohol

No data available

Liquid petroleum gases

Because of their extreme volatility, air is the only environmental compartment that hydrocarbon gases will be found.

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission. Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

None known

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal according to Local Authority Regulations

Section 14. Transport information

 UN No (ADR/RID/ADN)
 1950

 UN No (IMDG)
 1950

 UN NO (ICAO)
 1950

14.2 UN Proper Shipping Name

ADR/IMDG/AND/RID AEROSOLS

IATA Aerosols Flammable

14.3 Transport Hazard Class(es)

ADR/RID/ADN Class 2.1

ADR/RID/ADN Class Class 2: Gases

ADR Label No 2.1 IATA 2.1 **IMDG Class** 2.1 ICAO Class/Division 2.1 ICAO Subsidiary Risk **ICAO TEC* No** 20GSF Air Class 2.1 **UK Road Class** 2.1 **Transport Labels** L.Q.



14.4 Packing Group

Not Applicable

14.5 Environmental Hazards

Dangerous for the environment No Marine pollutant No

Other information No supplementary information available

14.6 Special Precautions for user

Overland Transport

Classification Code (ADR): 5F

Special Provisions (ADR): 190,327,344,625

Limited Quantities (ADR): 11 Excepted Quantities (ADR): E0

Packing Instructions (ADR): P207,LP02
Special Packing provisions (ADR): PP87, RR6, L2

Mixed Packing provisions (ADR): MP9
Transport Strategy (ADR): 2
Special provisions for carriage – Packages (ADT) V14

Special Provisions for carriage – Loading, unloading

and handling (ADR): CV9, CV12

Special provisions for carriage – Operation (ADR): S2
Tunnel Restriction Code: D

Transport by Sea

Special Provisions (IMDG): 63,190,277,327,344,959

Limited Quantities (IMDG):

Excepted Quantities (IMDG):

Packing Instructions (IMDG):

P207,LP02

Special Packing provisions (IMDG):

PP87,L2

EmS-No (Fire):

EmS-No (Spillage):

Stowage category (IMDG):

Stowage and Handling (IMDG):

Segregation (IMDG):

SG69

MFAG-No: 126

Air Transport

PCA Excepted Quantities (IATA): E0
PCA Limited Quantities (IATA): Y203
PCA Limited Quantity max net quantity (IATA): 30KgG
PCA Packing instructions (IATA): 203
PCA max net quantity (IATA): 75Kg
CAO packing instructions (IATA): 203
CAO max net quantity (IATA): 150Kg

Special provisions (IATA): A145,A167,A802

ERG Code (IATA): 10L

Inland Waterway Transport

Classification Code (ADN): 5F

Special Provisions (ADN): 190,327,344,625

Limited Quantities (ADN):

Excepted Quantities (ADN):

Equipment required (ADN):

Ventilation (ADN):

1 L

E0

PP,EX,A

VE01,VE04

Number of blue cones/lights (ADN): 1

Rail Transport

Classification Code (RID): 5F

Special Provisions (RID): 190,327,344,625

Limited Quantities (RID): 1L

Excepted Quantities (RID): E0

Packing Instructions (RID): P207,LP02

Special Packing provisions (RID): PP87,RR6,L2
Mixed Packing provisions (RID): MP9
Transport Category (RID): 2

Special Provisions for carriage – Packages (RID): W14

Special Provisions for carriage – Loading, unloading

and handling (RID): CW9, CW12

Colis Express (express parcels) (RID): CE2
Hazard Identification No (RID): 23

14.7 Transport in bulk according to Annex II of MARPOL and the IBC code

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Labelling according to Regulation (EC) No 1272/2008

The chemicals (Hazard information and packaging for supply) regulations 2009 (S.I 2009 No. 716). Control of substances hazardous to health.

Approved code of practice.

Guidance notes

Workplace exposure limits EH40.

15.1.1 EU-Regulations

Contains no REACH substances with Annex XVII restrictions.

Contains no REACH Annex XIV substances.

15.1.2 National Regulations

No additional information available.

15.2 Chemicals safety assessment

A chemical safety assessment has not been carried out for this product.

Section 16. Other information

General Information:

This product should be used as directed. For further information consult the product data sheet or contact Technical Services.

Information sources:

This Safety Data Sheet was compiled using current safety information supplied by the distributor of raw materials.

Classification under regulation (EC) No 1272/2008

Hazard statements in full

H220	Extremely flammable gas.
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H229	Pressurised container. May burst if heated
H304	May be fatal if swallowed and enters airways
H316	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H410	Very toxic to aquatic life with long lasting effects

Abbreviations

Flam Gas 1	Flammable Gas Category 1
Flam Liq 2	Flammable Liquid Category 2
Flam Liq 3	Flammable Liquid Category 3
Asp Tox 1	Aspiration Toxicity category 1
Skin Irrit 2	Skin irritant category 2
Skin Sens 1	Skin sensitivity category 1
Aquat Chron 1	Aquatic Chronic category 1

LD50 Lethal Dose 50%

LC50 Lethal Concentration 50%

OECD Organisation for Economic and Co-operative Development

PBT Persistent Bioaccumulative Toxicity vPvB Very Persistent Very Bioaccumulative

IMDG International Maritime Transport of Dangerous Goods

ICAO International Civil Aviation Organisation

ISSUE: ISSUE 5.0

LAST REVISED: MARCH 2025

DISCLAIMER

The Information provided herein, especially recommendations for the usage and the application of this products, is provided in good faith, and no liability on the part of Sovereign Aerosols is stated or implied. No employee of AFT Aerosols Ltd has the authority to waive or alter in any way the content of this document.

Due to different materials used, as well as to varying working conditions, production techniques, and the requirements of the end users, all of which are beyond our control, we strongly recommend that thorough and extensive trials are carried out in order to test the suitability of our products with regard to the required processes and applications. This should also include an ageing test which should be applied to all substrates used.

It is also the responsibility of the purchaser and end user of this product to ensure that all appropriate actions necessary for the protection of the environment, and for the health and safety of their employees are observed.

This datasheet replaces all former versions