

### ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

### 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 Product identifier

Product Name	Salt
Chemical Name	Sodium chloride; NaCl
CAS No.	7647-14-5
EC No.	231-598-3
REACH Registration No.	Listed in REACH 1907/2006 Annexe V Section 7, exempted from registration.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Chemical manufacture and processing. Water treatment. Food and Feed industry. Laboratory chemical. highways de-icing.

Uses Advised Against None.

### 1.3 Details of the supplier of the safety data sheet

Company Identification	J.C Peacock & Co Ltd
Address of Supplier	Jura Terminal, North harbour, Ayr, KA8 8AE
Telephone: 🖸	01292 292000

E-mail info@peacocksalt.co.uk

### **1.4 Emergency telephone number**

Emergency Phone No. +44(0)1235 239 670 (EU regional number)

Contact CareChem

Poisons Information Service +00 448 706 006 266 NHS Direct - 0845 4647 or 111 (Birmingham Centre)

Important Note: The information contained in this document is given in good faith and is to the best of suppliers Knowledge correct at the date of publication, but it is for the users to satisfy themselves of the suitability of the product for their purpose.



### 2. SECTION 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Not classified as dangerous for supply/use.

### 2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name Salt

Hazard Pictogram(s) None.

Signal Word(s) None.

### Salt

Hazard Statement(s)			None.
_			 

Precautionary Statement(s) None.

Additional label requirements None.

2.3 Other hazards

None.

### 2.4 Additional Information

None.

### 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

HAZARDOUS INGREDIENTS	CAS No.	EC No. / REACH	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
		registration No.			
Sodium Chloride	7647-14-5	231-598-3	>99.9	Not Classified	None
3.2 Mixtu	res				
		Not applicable.			

Important Note: The information contained in this document is given in good faith and is to the best of suppliers Knowledge correct at the date of publication, but it is for the users to satisfy themselves of the suitability of the product for their purpose.



### 4. SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
Skin Contact	Wash skin with soap and water.
Eye Contact	Flush eyes with water for at least 15 minutes. If symptoms develop, obtain. medical attention
Ingestion	Wash out mouth with water. Do not induce vomiting. Obtain immediate medical attention if ill effects occur.

### 4.2 Most important symptoms and effects, both acute and delayed

Large doses may result in irritation of the gastrointestinal tract leading to nausea, vomiting and diarrhoea. Dehydration and congestion may occur in internal organs.

May cause physical abrasion in contact with skin and eyes. Dust may have irritant effect on eyes. High concentrations of dust may be irritant to the respiratory tract. Repeated exposure by inhalation may produce adverse effects on the lungs.

### 4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary, treat symptomatically. Low acute toxicity under normal conditions of handling and use

### 5. SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media None.

### 5.2 Special hazards arising from the substance or mixture

Low fire hazard.

### 5.3 Advice for firefighters

A self contained breathing apparatus and full protective clothing should be worn in fire conditions. Potential hazard from the combustion of packaging materials.

Important Note: The information contained in this document is given in good faith and is to the best of suppliers Knowledge correct at the date of publication, but it is for the users to satisfy themselves of the suitability of the product for their purpose.



### 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment, and emergency procedures

Avoid dust generation. Avoid breathing dust. Wear suitable gloves and eye/face protection.

### 6.2 Environmental precautions

Avoid release to the environment. Contain spillages. Transfer to a lidded container for disposal or recovery.

### 6.3 Methods and material for containment and cleaning up

Sweep up solid substance. Transfer to a container for disposal or recovery. Wash the spillage area with water.

### 6.4 Reference to other sections

See Also Section 8, 13.

### 6.5 Additional Information

Spillages or uncontrolled discharges into watercourses must be alerted to the Environment Agency or other appropriate regulatory body.

7. SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid prolonged skin contact. Avoid dust generation. Avoid inhalation of high concentrations of dusts. Provide adequate ventilation where operational procedures demand it. Keep away from strong acids and common metals. Static electricity can be generated by pneumatic conveying, therefore pipes should be bonded and earthed, especially where a spark could prove hazardous.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in dry place. Keep only in the original container in a cool, well-ventilated place away from moisture.

Storage temperature	Ambient.
Storage life	Stable under normal conditions. See Section: 10.2
Incompatible materials	Strong acids See Section: 10.3

### 7.3 Specific end use(s)

Important Note: The information contained in this document is given in good faith and is to the best of suppliers Knowledge correct at the date of publication, but it is for the users to satisfy themselves of the suitability of the product for their purpose.



Contact Supplier for further information. See Also Section 1.2

### 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

8.1.1 Occupational Exposure Limits

Sodium chloride: No Occupational Exposure Limit assigned.

Occupational E	xposure Limits					
SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8hr TWA mg/kg <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Notes
Inhalable	Not		10			
dust	applicable					
Respirable	Not		4			
Dust	applicable					

Region Source

United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

8.1.2 PNECs and DNELs

Sodium Chloride			
DNEL / DMEL	Oral	Inhalation	Dermal
Industry – Long Term – Local effects			
Industry – Long Term – Systemic effects		2069 mg/km <sup>3</sup>	296 mg/kg bw/day
Industry – Short Term – Local effects			
Industry – Short Term – Systemic effects		2069 mg/km <sup>3</sup>	296 mg/kg bw/day
Consumer – Long Term – Local effects			
Consumer – Long Term – Systemic effects	127 mg/kg bw/day	443 mg/kg <sup>3</sup>	127 mg/kg bw/day
Consumer – Short term – Local effects			
Consumer – Short Term – Systemic effects	127 mg/kg bw/day	443 mg/kg <sup>3</sup>	127 mg/kg bw/day

**Important Note**: The information contained in this document is given in good faith and is to the best of suppliers Knowledge correct at the date of publication, but it is for the users to satisfy themselves of the suitability of the product for their purpose.



Sodium Chloride		
Environment	PNEC	
Aquatic Compartment (Including Sediment)	Fresh water 5 mg/l	
	Marine water: Not applicable	
	Intermittent releases: 19 mg/l	
	Sewage treatment plant:500 mg/l	
	Fresh water sediment (dry): N/A	
	Marine water sediment (dry): N/A	
Terrestrial Compartment	Soil (dry) 4.86 mg/kg	
Atmospheric Compartment	N/A	

### 8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation. Atmospheric levels should be controlled in compliance with the occupational exposure limit.

#### 8.2.2. Personal protection equipment

Eye Protection

Wear suitable eye/face protection. If dust is likely to be generated: . Goggles giving complete protection to eyes

Skin protection Wear protective gloves. The following materials are suitable for protective gloves (permeation time >= 8 hours): Nitrile rubber (0.35mm), PVC (0.5mm), Butyl rubber (0.5mm), Fluorocarbon rubber (0.4 mm), Polychloroprene CR (0.5 mm), Natural rubber (0.5mm). Check with protective equipment manufacturer's data.

Respiratory protection Normally no personal respiratory protection is necessary. An approved dust mask should be worn if dust is generated during handling. A suitable dust mask or dust respirator with filter type P (EN143 or EN405) may be appropriate.

Thermal hazards

None known.

8.2.3. Environmental Exposure Controls Do not release large quantities into the surface water or into drains.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

Crystalline Solid Colour : Colourless

Important Note: The information contained in this document is given in good faith and is to the best of suppliers Knowledge correct at the date of publication, but it is for the users to satisfy themselves of the suitability of the product for their purpose.



### JC PEACOCK & CO LTD – SAFETY DATA SHEET Page7/12

# AQUA Granules 25kg bag

reacuck			8 8
Odour about Salt		Odourless.	
Odour threshold pH		Not established.	
Melting point/freezing po	oint	Not applicable. 801 °C	
Initial boiling point and b		1461 °C	
Elech Deint		Natarriashia	
Flash Point Evaporation rate		Not applicable. Not applicable.	
Flammability (solid, gas)		Non-flammable	
Upper/lower flammability	y or explosive limits	Not applicable.	
Vapour pressure Vapour density		1.33hPa @ 865 °C No data available.	
Density (g/ml)		2.16	
Relative density		2.17	
Solubility(ies)		Solubility (Water) : freely soluble 31	7 g/l @ 20 °C
		Solubility (Other) : Insoluble	
Partition coefficient: n-o	ctanol/water	Not applicable.	
Auto-ignition temperatur	е	Not applicable.	
Decomposition Tempera	ature (°C)	No data available.	
Viscosity		Not applicable.	
Explosive properties		Not explosive	
Oxidising properties		Not oxidising.	
9.2 Other information			
		None	
10. SECTION 10: STAB	ILITY AND REACTIV	ITY	
10.1 Reactivity			
		None anticipated.	
10.2 Chemical Stability	/		
		Stable under normal conditions.	
10.3 Possibility of haza	ardous reactions		

Important Note: The information contained in this document is given in good faith and is to the best of suppliers Knowledge correct at the date of publication, but it is for the users to satisfy themselves of the suitability of the product for their purpose.



### JC PEACOCK & CO LTD – SAFETY DATA SHEET Page8/12

## AQUA Granules 25kg bag

Reaction with concentrated acid will produce hydrogen chloride.

### 10.4 Conditions to avoid Avoid

Dust generation. Avoid accumulation of dust. Under wet conditions, will corrode many common metals, particularly iron, aluminium and zinc.

10.5 Incompatible materials

Strong oxidising agents.

10.6 Hazardous decomposition products None.

### 11. SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Acute toxicity - Ingestion	Not classified. LD50 (rat): 3550 mg/kg bw May cause vomiting and diarrhoea. The swallowing of small amounts is unlikely to cause any adverse effects.
Acute toxicity - Skin Contact	Not classified. LD50 (rabbit): >10,000 mg/kg bw
Acute toxicity - Inhalation	Not classified. LD50 (1 hour(s)) (rat): >42 mg/l
Skin corrosion/irritation	Not classifie
	May cause physical abrasion in contact with skin Repeated or prolonged contact may result in dryness leading to mild irritation.
Serious eye damage/irritation	Not classified. May cause physical abrasion in contact with eyes. Dust may cause irritation.
Skin sensitization data	Not classified.
Respiratory sensitization data	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
Lactation	Not classified.
STOT - single exposure	Not classified. High concentrations of dust may be irritant to the respiratory tract.
STOT - repeated exposure	Not classified.

**Important Note**: The information contained in this document is given in good faith and is to the best of suppliers Knowledge correct at the date of publication, but it is for the users to satisfy themselves of the suitability of the product for their purpose.



### JC PEACOCK & CO LTD – SAFETY DATA SHEET Page9/12

# AQUA Granules 25kg bag

Peacock	AQUA Granules 23kg bag
Serious about Salt	Repeated exposure by inhalation may produce adverse effects on the
	lungs.
	Repeated ingestion of excessive amounts may cause disturbance of body electrolyte and fluid balance.
Aspiration hazard	Not classified.
11.2 Other informatio	<b>n</b> The product is biologically inert.
	t in irritation of the gastrointestinal tract leading to nausea, vomiting and diarrhoea. estion may occur in internal organs
12. SECTION 12: ECO	LOGICAL INFORMATION
12.1 Toxicity	
	Low toxicity to aquatic organisms. Not classified.
Toxicity - Aquatic inver	tebrates Low toxicity to invertebrates. Not classified. LC50 (Daphnia magna) (48 hour): 874 mg/l NOEC (Daphnia magna) (7 day): 354 mg/l
Toxicity - Fish	Low toxicity to fish. Not classified. LC50 Bluegill Sunfish (L. macrochirus) (96 hour): 5840 mg/l NOEC (33 days) (Fathead minnow (Pimephales promelas)): 252 mg/l
Toxicity - Algae	Not classified. EC50 (Nitzschia linearis) (120 hour(s)): 2430 mg/l EC10 (Microorganisms): 5000 mg/l
Toxicity - Sediment Co	mpartment Not classified.
Toxicity - Terrestrial Co	ompartment Not classified. Soil micro-organisms EC50 (Short term): 3296 mg/kg Soil (Dry) EC10 (Long Term): 3507 mg/kg Soil (Dry)
12.2 Persistence and	Degradation
	The product shows no evidence for biodegradability in water. The product shows no evidence for biodegradability in soil.
12.3 Bioaccumulative	potential
	The product has no potential for bioaccumulation.
12.4 Mobility in soil	

Important Note: The information contained in this document is given in good faith and is to the best of suppliers Knowledge correct at the date of publication, but it is for the users to satisfy themselves of the suitability of the product for their purpose.



### JC PEACOCK & CO LTD – SAFETY DATA SHEET Page10/12

## AQUA Granules 25kg bag

The product is predicted to have high mobility in soil.

### 12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

12.6 Other adverse effects

Not known.

### 13. SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Recover and reclaim or recycle, if practicable. Do not discharge into drains or the environment, dispose to an authorised waste collection point.

### **13.2 Additional Information**

No special precautions are required for this product.

### 14. SECTION 14: TRANSPORT INFORMATION

### Not classified as hazardous for transport.

- 14.1 UN number Not applicable
- 14.2 UN proper shipping name Not applicable
- 14.3 Transport hazard class(es) Not applicable
- 14.4 Packing group Not applicable
- **14.5 Environmental hazards** Not classified as a Marine Pollutant.
- 14.6 Special precautions for user Not known

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not known

### 15. SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Important Note: The information contained in this document is given in good faith and is to the best of suppliers Knowledge correct at the date of publication, but it is for the users to satisfy themselves of the suitability of the product for their purpose.



### JC PEACOCK & CO LTD – SAFETY DATA SHEET Page11/12

# AQUA Granules 25kg bag

European Regulations - Authorisations and/or Restrictions On Use Candidate List of Substances of Very High Concern for Authorisation Not listed REACH: ANNEX XIV list of substances subject to authorisation Not listed REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures, and articles Not listed Community Rolling Action Plan (CoRAP) Not listed Regulation (EC) N° 850/2004 of the European Parliament and of the Council on persistent organic pollutants Not listed Regulation (EC) N° 2037/2000 on substances that deplete the ozone layer Not listed SEVESO SUBSTANCE (Directive 2012/18/EU) No. National regulations Wassergefährdungsklasse (WGK) Kenn-Numm : 270 WGK class 1 (official). Germany **15.2 Chemical Safety Assessment** A REACH chemical safety assessment has not been carried out. **15.3 Inventory Status** Listed in: Australia (AICS), Canada (DSL/NDSL), China (IECSC), European Union (EINECS/ELINCS), Japan (ENCS), New Zealand Inventory (NZIoC), Philippines (PICCS), South Korea (KECI), Switzerland, Taiwan (NECI), Thailand, Turkey, United States (TSCA).

Important Note: The information contained in this document is given in good faith and is to the best of suppliers Knowledge correct at the date of publication, but it is for the users to satisfy themselves of the suitability of the product for their purpose.

#### JC PEACOCK & CO LTD – SAFETY DATA SHEET Page12/12

#### . \_ - 1

EST. 1874 Peacock Serious about Salt		AQUA Granules 25kg bag
16. SECTION 16: OTHER INFORMATION		
The following sections contain revisions or new statements: 1 - 16		
LEGEND		
Hazard Pictogram(s)		None.
Precautionary Stateme	nt(s)	None.
Acronyms		CAS : Chemical Abstracts Service CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures DNEL : Derived No Effect Level EC : European Community EINECS : European Inventory of Existing Commercial Chemical Substances LTEL : Long term exposure limit PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals STEL : Short term exposure limit STOT : Specific Target Organ Toxicity vPvB : very Persistent and very Bioaccumulative

Important Note: The information contained in this document is given in good faith and is to the best of suppliers Knowledge correct at the date of publication, but it is for the users to satisfy themselves of the suitability of the product for their purpose.